

TOWNSHIP COMMITTEE MEETING – APRIL 21, 2025

Mayor Lane called the meeting to order at 6:00 p.m. and requested the Clerk to call the roll. The following members were present: Jason Jones, Derel Stroud, Kevin McMillan and Mayor Robert Lane, Jr.. Tassie D. York was absent

Also present were Stephanie Oppegaard, Acting Business Administrator, William Bray, Township Clerk, Leslie Park, Township Attorney, Michael Bascom, Chief Financial Officer and Nicole Schnurr, Assistant Chief Financial Officer.

Mayor Lane announced that the notice requirements of R.S. 10:4-18 have been satisfied by the publication of the required advertisement in The Coaster and the Asbury Park Press on March 21, 2025, posting the notice on the Board in the Municipal Complex, and filing a copy of said notice with the Municipal Clerk. In addition, the meeting agenda is posted on the Township web site (www.neptunetownship.org) and the meeting is being streamed live via townhallstreams.com.

The following items were discussed in open session:

DPW Renovations Phase 2 Change Order Keith Daly, Township Engineer provided an update on the DPW Expansion and Pole Barn projects. Mr. Daly explained the proposed change orders for the projects. Mr. Bascom stated a portion of the contract allows for changes in the costs of good.

Committee Calendar: There was nothing at this time.

EXECUTIVE SESSION

Committeeman Stroud offered the following resolution, moved and seconded by Committeeman Jones, that Resolution 25-177 be adopted:

RESOLUTION 25-177

AUTHORIZE AN EXECUTIVE SESSION AS AUTHORIZED BY THE OPEN PUBLIC MEETINGS ACT

WHEREAS, Section 8 of the Open Public Meetings Act, Chapter 231, P.L. 1975, permits the exclusion of the public from a meeting in certain circumstances; and,

WHEREAS, this public body is of the opinion that such circumstances presently exist,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune, County of Monmouth, as follows:

1. The Public shall be excluded from discussion of and action upon the hereinafter specified subject matters.

2. The general nature of the subject matter to be discussed is as follows:

Personnel – Staffing within DPW, Code & Construction, Recreation, Tax Collection, Human Resources departments

Contract Negotiations – Sale of Publicly Owned Land

Attorney Client Privilege - Ongoing Litigation Matters

3. It is anticipated at this time that the above stated subject matters will be made public when matters are resolved.

4. This Resolution shall take effect immediately.

Res. 25-177 was Adopted on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

The Committee entered Executive Session at 6:08 p.m.

The Committee returned from Executive Session at 7:22 p.m.

Mayor Lane called the Regular Meeting to order and requested the Clerk to call the roll.

The following members were present: Jason Jones, Derel Stroud, Kevin McMillan and Mayor Robert Lane, Jr.

Also present at the dais were William Bray, Township Clerk, Stephanie Oppegaard, Acting Business Administrator and Leslie Park, Township Attorney.

Mayor Lane asked for After a moment of Silent Prayer for the York family for their recent loss, in memory of Pope Francis, and the families of Ida Marie Riggins and Doug Johnson and the Flag Salute. Mayor Lane asked the Clerk to indicate the fire exits.

The Clerk stated, "Fire exits are located in the rear of the room and to my right. In case of fire you will be notified by bell and or public address system, then proceed to the nearest smoke-free exit"

Mayor Lane announced that the notice requirements of R.S. 10:4-18 have been satisfied by the publication of the required advertisement in The Coaster and the Asbury Park Press on March 21, 2025, posting the notice on the Board in the Municipal Complex, and filing a copy of said notice with the Municipal Clerk. In addition, the meeting agenda, ordinances, and resolutions are posted on the Township web site (www.neptunetownship.org) and the meeting is being streamed live via townhallstreams.com.

APPROVAL OF MINUTES

Mayor Lane was offered A Motion to approve the March 10, March 12 and April 7 minutes by Committeeman Stroud, seconded by Committeeman Jones. The minutes were approved on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York; ABSTAIN: McMillan for April 7.

Mayor Lane asked for a motion to amend the agenda to add Resolutions 25-195, 25-196, 25-197, 25-198, 25-199, 25-200, 25-201 to the Consent Agenda. Committeeman McMillan offer the Motion, seconded by Committeeman Stroud. The motion was adopted by the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

PRESENTATIONS - There were none.

PROCLAMATIONS Mayor Lane read the following proclamation into the record.

National Water Safety Month

WHEREAS, citizens of the Township of Neptune along with New Jersey Swim Alliance (NJSSA) and New Jersey Recreation & Park Association (NJRPA) recognize the vital role that swimming and aquatic-related activities relate to good physical and mental health and enhance the quality of life for all people; and

WHEREAS, the citizens of the Township of Neptune along with NJSSA & NJRPA understand the essential role that education regarding the topic of Water Safety plays in preventing drownings and recreational water-related injuries; and

WHEREAS, the citizens of the Township of Neptune along with NJSSA & NJRPA are aware of the contributions made by the recreational water industry, as represented by the organizations involved in the National Water Safety Month Coalition in developing safe swimming facilities, aquatic programs, beaches, home pools and spas, and related activities providing healthy places to recreate, learn and grow, build self-esteem, confidence and sense of self-worth which contributes to the quality of life in our community; and

WHEREAS, the citizens of the Township of Neptune along with NJSSA & NJRPA recognize the ongoing efforts and commitments to educate the public on beach, pool, and spa safety issues and initiatives by the pool, spa, waterpark, recreation and parks industries; and

WHEREAS, the citizens of the Township of Neptune along with NJSSA & NJRPA understand the vital importance of communicating Water Safety rules and programs to families and individuals of all ages, whether beachgoers, owners of private pools, users of public swimming facilities, or visitors to waterparks;

NOW, THEREFORE BE IT PROCLAIMED, that, I, Robert Lane, Jr., Mayor of the Township of Neptune, along with the entire Township Committee, do hereby declare the Month of May, as

NATIONAL WATER SAFETY MONTH

And do urge all those in the Township of Neptune to support and promote this observance.

Mayor Lane presented the proclamation to Curlie Jackson who advocates for water safety after the death of her grandson Naisere Nelson. Ms. Jackson stated she would be happy to serve on any committee to advise the local schools and township recreation program about water safety.

COMMENTS FROM THE DAIS

Committeeman Jones – Committeeman Jones gave an update on the brownfields redevelopment, EV changing station, Road Improvement program, pole barn, and Sunshine Village Park soccer fields improvements. Committeeman Jones stated the township will not receive a recreation improvement grant and the egg hunt was a success. Committeeman Jones stated the township provides financial assistance to those who need it to enroll in summer recreation programs.

Committeeman Stroud – Committeeman Stroud stated Sawyer and Penelope are a the librarians of the week. Committeeman Stroud reviewed the upcoming programs at the library. Committeeman Stroud stated the Senior Center will honor its 128 volunteers donated 1700 hours of time to the center and its programs.

Committeeman McMillan – Committeeman McMillan thanked Ms. Oppegaard and township staff for giving a Neptune High School student a tour and overview of local government. Committeeman McMillan thanks Mr. Bascom for his efforts on improvement to Wesley Lake, Ms. Oppegaard for her work on fire damaged home at 1805 Columbus Avenue and Public Works for their street sweeping. Committeeman McMillan congratulated VFW 1333 on its 100th anniversary.

Mayor Lane – Mayor Lane stated they are considering placing lights on the Fletcher Lake aerator and holding a clean-up there on June 7. Mayor Lane gave an update on police department initiatives.

BUSINESS ADMINISTRATOR'S REPORT

Ms. Oppegaard stated the municipal building parking lot will be paved April 24 through April 26 and the library will be closed. Ms. Oppegaard stated the elevator repairs are delayed due to additional work found during the repairs. Ms. Oppegaard stated the water is now on at the Division Street garden.

PUBLIC HEARING 2025 MUNICIPAL BUDGET

Mayor Lane called for a motion to adopt Res. 25-178. Committeeman McMillan offered a motion to adopt Res. 25-178, seconded by Committeeman Stroud.

RESOLUTION 25-178

A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE AUTHORIZING THE 2025 BUDGET TO BE READ BY TITLE ONLY AT PUBLIC HEARING

WHEREAS, N.J.S.A. 40A:4-8 provides that the budget be read by title only at the time of public hearing if a resolution is passed by not less than a majority of the full governing body, providing that at least one week prior to the date of hearing a complete copy of the approved budget as advertised has been posted in the Municipal Building, the local public library and copies have been made available by the Clerk to persons requesting them; and,

WHEREAS, these conditions have been met, and;

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune in the County of Monmouth, state of New Jersey that the budget shall be read by title only.

Res. 25-178 was Adopted on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

CFO Bascom presented the details of the 2025 Municipal Budget. CFO Bascom explained the need for the Budget Amendment. Mr. Bascom reviewed the improved status of the township's finances, bond rating, revenues, levels of surplus and increases in appropriations. Mr. Bascom stated the budget maintains a stable tax levy.

Mayor Lane opened the Public Hearing on the 2025 Municipal Budget.
Paul Kaplan, 81 Mr. Zion Way. – Mr. Kaplan thanked Mr. Bascom for his presentation.

Rich Williams, 1 Abbott Ave. – Mr. Williams thanked Mr. Bascom for his years of service to the township. Mr. Williams asked about the change to the school funding formula. Mr. Bascom explained the new funding formula and how it impacted Neptune Township.

Curlie Jackson - 701 East Lawn Drive – Ms. Jackson asked if the township is receiving funding from the electric utility. Mr. Bascom stated the state now received that funding.

There were no further comments.
Mayor Land Closed the Public Hearing on the 2025 Municipal Budget.

Mayor Lane called for a motion to adopt Res. 25-179. Committeeman McMillan offered a motion to adopt Res. 25-179, seconded by Committeeman Stroud.

RESOLUTION 25-179
RESOLUTION AUTHORIZING AN AMENDMENT TO APPROVED 2025 MUNICIPAL BUDGET

WHEREAS, the local municipal budget for the year 2025 was approved on the 24th day of March, 2025; and,

WHEREAS, the public hearing on said budget has been held as advertised on April 21, 2025, and,

WHEREAS, it is desired to amend said approved budget as described below,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune, of the County of Monmouth, that the following amendments to the approved budget of 2025 be made:

	Approved Budget	Amended Budget
1. Surplus Anticipated	\$5,465,168.61	\$5,466,809.61
3. Miscellaneous Revenue – Section F: Public and Private Revenues Offset with Appropriations		
Interfaith Neighbors – Senior Meal Program	\$26,590.00	\$25,949.00
Total Section F: : Public and Private Revenues Offset with Appropriations	\$349,291.75	\$348,650.75
Summary of Revenues		
3. Miscellaneous Revenue – Total Section F: Public and Private Revenues	\$349,291.75	\$348,650.75
8. General Appropriations		
(E Deferred Charges and Statutory Expenditures – Municipal Within “CAPS”		
(2) Statutory Expenditures		
Contribution to Public Employees’ Retirement System	\$1,371,364.00	\$1,372,364.00
Total Deferred Charges and Statutory Expenditures – Municipal Within “CAPS”	\$5,539,064.00	\$5,540,064.00
(A) Operations Excluded from “CAPS” – Public and Private Programs Offset by Revenues		
Interfaith Neighbors – Senior Meal Program – S&W	\$26,590.00	\$25,949.00
Interfaith Neighbors – Senior Meal Program – S&W – Local Match	\$53,410.00	\$54,051.00
Summary of Appropriations		
(H-1) Total General Appropriations for Municipal Purposes within “CAPS”	\$43,568,595.25	\$43,569,595.25
Total General Appropriations	\$56,560,000.00	\$56,561,000.00
6 Amount to be Raised by Taxation	\$34,250,000.00	\$33,728,627.00
Total Amount to be Raised by Taxes for Support of the Municipal Budget	\$36,300,413.00	\$35,779,040.00
10. Dedicated Revenues from Sewer Utility		
Reserve for Debt Service (Sewer Capital)	\$46,800.00	\$53,300.00
Total Sewer Utility Revenues	\$8,926,800.00	\$8,933,300.00
11. Appropriations for Sewer Utility		
Debt Service: Capital Equipment Lease Program	\$150,000.00	\$156,500.00
Total Sewer Utility Appropriations	\$8,926,800.00	\$8,933,300.00

BE IT FURTHER RESOLVED, that certified copies of this resolution be filed forthwith in the Office of the Director of Local Government Services for her certification of the local municipal budget so amended and that a certified copy be forwarded to the Chief Financial Officer and the Township Auditor.

Res. 25-179 was Adopted on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

Mayor Lane called for a motion to Adopt the 2025 Municipal Budget. Committeeman Stroud offered a motion to Adopt the 2025 Municipal Budget, seconded by Committeeman McMillan.

RESOLUTION 25-180
ADOPT 2025 TOWNSHIP OF NEPTUNE MUNICIPAL BUDGET

BE IT RESOLVED, by the Township Committee of the Township of Neptune, County of Monmouth, that the budget hereinbefore set forth is hereby adopted and shall constitute an appropriation for the purposes stated of the sums therein set forth as appropriations, and authorization of the amount of \$34,350,000.00 for municipal purposes; and, \$2,228,226.00 for the minimum library levy:

General Revenues	
Surplus Anticipated	5,466,809.61
Miscellaneous Revenues Anticipated	13,436,015.96
Receipts from Delinquent Taxes	1,079,948.43
Local Tax for Municipal Purposes	34,350,000.00
Local Tax for Minimum Library Levy	2,228,226.00
Total Revenues	55,561,000.00

General Appropriations	
Within "CAPS"	43,569,595.25
Deferred Charges and Statutory Expenditures	4,080,354.75

Excluded from "CAPS"	
Operations	
Capital Improvements	450,000.00
Municipal Debt Service	5,611,050.00
Reserve for Uncollected Taxes	2,850,000.00
Total General Appropriations	56,561,000.00

Res. 25-180 to Adopt the 2025 Municipal Budget was Adopted on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

PUBLIC COMMENTS ON RESOLUTIONS

Mayor Lane asked for public comments regarding resolutions presented on this agenda only and they were as follows:

There were no comments. Mayor Lane closed public comments.

ORDINANCES – PUBLIC HEARING & FINAL ADOPTION
ORDINANCE 25-14

Mayor Lane opened the floor for Public Hearing on Ordinance 25-14. There were no comments. Mayor Lane closed the Public Hearing and called for a motion. Committeeman Stroud offered a motion that Ordinance 25-14 be Adopted on Second Reading, seconded by Committeeman Jones.

ORDINANCE AMENDING CODE OF THE TOWNSHIP OF NEPTUNE
TO CREATE CHAPTER _____: PROJECT LABOR AGREEMENTS

WHEREAS, the Township Committee seeks to ensure that large public construction projects undertaken or directly supported by the Township are conducted with skilled labor, with the highest degree of quality, in a prompt and efficient manner; and

WHEREAS, the Township Committee seeks to utilize project labor agreements for public construction projects exceeding \$5,000,000.00, exclusive of land acquisition costs, in order to guarantee that projects are performed in such manner; and

WHEREAS, these project labor agreements will serve as pre-hire collective bargaining agreements for certain projects, ensuring stable, high quality labor with no strikes or slowdowns to promote efficiency, quality, and timeliness of public construction projects;

NOW, THEREFORE, BE IT ORDAINED by the Township Committee of the Township of Neptune of the County of Monmouth in the State of New Jersey, that pursuant to State Statute allowing municipalities to include project labor agreements in a public construction project on a project-by-project basis, the governing body hereby amends the code of the Township of Neptune to add the following:

SECTION 1. Purpose

The purpose of this chapter is to promote efficiency, quality, and timeliness of public construction projects that are undertaken or directly supported by the Township. At the sole discretion of the Township, for certain large construction projects, where total costs exceed \$5,000,000.00 exclusive of any land acquisition costs, this section will require project labor agreements to be included pursuant to N.J.S.A. 52:38-1, et seq.

SECTION 2. Definitions.

As used in this chapter:

APPRENTICE – A worker who participates in a federally-approved apprenticeship or an apprentice equivalent who receives benefits and pay not less than an apprentice, takes a construction apprenticeship test, and participates in a federally-approved training program.

APPRENTICE PROGRAM – An apprenticeship program operated by an entity registered with the Bureau of Apprenticeship and Training of the United States Department of Labor or an apprentice equivalent program registered and recognized by the Bureau.

CERTAIN PROJECTS – The Township, at its sole discretion, may exempt projects that may fall under this chapter.

CONTRACTOR – A person or entity awarded a public works project or a contract on a publicly funded project contemplated by this chapter.

CRAFT-REQUEST FORM – Forms that are customarily used by trade or craft unions that delineates job or titles and descriptions which are needed for a particular project.

DEVELOPER – The recipient of financial assistance for a redevelopment area financing project or the contractor for a public works project.

LABOR ORGANIZATION — An organization which represents, for purposes of collective bargaining, employees involved in the performance of construction contracts and eligible to be paid prevailing wages under the "New Jersey Prevailing Wage Act," P.L. 1963, c. 150 (N.J.S.A. 34:11-56.25 et seq.) and has the present ability to refer, provide or represent sufficient numbers of qualified employees to perform the contracted work and which has an apprenticeship program registered by the Bureau of Apprenticeship and Training of the United States Department of Labor.

PROJECT LABOR AGREEMENT — A pre-hire collective bargaining agreement between a labor organization and a developer/contractor that contains, at a minimum, the requirements set forth in this chapter.

PUBLIC WORKS PROJECT — Building, altering, repairing, improving or demolishing any public structure or facility constructed, acquired or otherwise owned by the Township of Neptune to house local government functions or provide water, waste, disposal, power, transportation and other public infrastructure.

PUBLICLY FUNDED PROJECTS — Public works projects and redevelopment area financing projects that is undertaken or directly supported by the Township with total costs exceeding \$5,000,000.00 exclusive of land acquisition costs.

REDEVELOPMENT AREA FINANCING ("RAF") PROJECT — A construction project with total costs exceeding \$5,000,000, exclusive of any land acquisition costs, and receives (1) a tax exemption pursuant to N.J.S.A. 40A:20-1, et seq. or N.J.S.A. 40A:21-1, et seq. and (2) receives some form of redevelopment area financing such as an affordable housing trust fund grant, a community block development grant, or a redevelopment area bond.

SUBCONTRACTOR — A person or entity that engages or performs work or provides materials for a contractor or developer as defined herein that is not in privity of contract with the Township of Neptune.

TOWNSHIP — Means the Mayor, the Township Committee or its designees, and/or the Business Administrator of the Township of Neptune.

TOTAL PROJECTS COSTS — Shall be all costs, inclusive of environmental work, demolition, pre-construction and construction costs, excluding land acquisition costs.

SECTION 3. Coverage And Conflict

This chapter shall apply to “covered projects” which shall include public works and publicly funded projects subject to any conflicting provisions in N.J.S.A. 52:38-1 et seq. or any other applicable New Jersey statute. In the event of any conflict, the statute shall control. To the extent this chapter conflicts with any local ordinance, this chapter shall control.

SECTION 4. Requirements For Covered Projects

Public works projects and publicly funded projects shall require the execution of a project labor agreement that complies with the requirements of this chapter subject to waiver by the Township at its sole discretion. Agreement shall be entered into with a labor organization, or an award of the contract shall be made contingent on the construction manager for the contract negotiating project labor agreements in good faith with one or more labor organizations. Project labor agreements shall conform with the provisions set forth in N.J.S.A. 52:38-1 et seq. and shall:

1. Advance the interest of the Township, including, but not limited to, efficiency, quality, and timeliness of skilled labor and project execution.
2. Guarantee that there will be no strikes, lock-outs, or similar actions.
3. Set forth effective, immediate, and mutually binding procedures for resolving jurisdictional and labor disputes arising before the completion of the work.
4. Ensure that the agreement is binding on all contractors and subcontractors in all relevant and appropriate documents, including bid specifications.
5. Require that all contractors and subcontractors working on the covered project have an apprenticeship program.
6. State that contractors and subcontractors need not be a party to a collective bargaining agreement with the applicable labor organization other than for the project covered by the project labor agreement.
7. State that the terms of the project labor agreement shall prevail over conflicting terms

of any collective bargaining agreement.

8. Conform to all statutes, regulations, executive orders, and applicable ordinances concerning affirmative action requirements and set-aside goals for women and minority-owned businesses, with the obligations to comply with expressly provided for in the agreement.
9. Include a publicly available plan which is in full conformance with the requirements of all applicable statutes, regulations, executive orders and Township ordinances and is mutually agreed upon by the participating labor organizations and the public entity or the developer which will own the facilities which are built, altered or repaired under the project, provided that any shares of employment and apprenticeship positions for women and minority group members mutually agreed upon pursuant to this subsection shall equal or exceed the requirements of other statutes, regulations, executive orders or local ordinances. The plan shall include measures and programs to be taken to meet amount and/or share of work to be completed by women and minority group members as well as requiring Neptune Township residents be first choice for staffing without regard to any other preferential status.
10. Require that 10% of the labor hours shall be performed by Neptune Township residents who are participating in the apprenticeship program and that 100% of the apprentices be Neptune Township residents. If, despite good faith efforts, these requirements cannot be fulfilled, the percentage requirements may be changed by the Township.
11. Require the contract for the covered project to provide whatever resources may be needed to prepare for apprenticeship a number of women and minority members sufficient to enable compliance with the plan agreed upon pursuant to this chapter and provide that the use of those resources be administered jointly by the participating labor organization and the Township.
12. Arrange monitoring by the Township or a state agency of the amount and/or share of work completed by women and minority group members and progressions of such members into apprentice and journey-level positions. This shall include having records made available to the public by the Township or a state agency, as applicable.
 - A. Advertisement. The Township and labor organization shall mutually agree on print and other media advertising campaigns. Advertisements shall solicit apprenticeship applications for the apprenticeship program, describe requirements for admission, describe job training, and salaries.
 - B. Pre-construction meeting. Prior to the commencement of construction, the developer shall meet with all relevant Township officials to present workforce needs, provide construction and procurement schedules, and a list of all eligible apprentices. The Township shall communicate any necessary procedures and requirements needed pursuant to this chapter.
 - C. Job Fair. The Township, labor organization, and developer/contractor shall jointly participate in a job fair to explain and solicit applications for the apprenticeship program.

SECTION 5. Apprenticeship Utilization

On all covered projects, the minority and women employment goals for each developer/contractor and subcontractor for each trade shall be consistent with N.J.A.C. 17:27-7.2. Any developer/contract and subcontractor that violates this provision shall be subject to enforcement action unless it can be demonstrated that good faith efforts were made to comply. The following constitutes minimal good faith efforts:

- A. Entering into a project labor agreement with letters of assent from relevant contractors/subcontractors.
- B. Convening pre-bid and pre-construction meetings to educate construction managers and subcontractors about the apprenticeship utilization goals.

- C. Cooperating with Township representatives to ensure compliance with this chapter, including prompt access to any and all relevant and requested records as well as access to sites.
- D. Cooperating with contractors and/or subcontractors to ensure proper reporting.
- E. Establishing a point of contact to provide information about pre-apprenticeship or apprenticeship opportunities.
- F. Developing and maintaining lists of persons who are working on the project, who were offered opportunities, who were not hired from referrals, and the like.
- G. Facilitating relationships among approved apprenticeship programs and contractors to enable prompt referrals.
- H. Using and documenting use of Township-approved craft-request forms sent to unions.
- I. Requesting apprentices that are Township residents from union hiring halls.

SECTION 6. Enforcement

Developers/contractors and subcontractors shall submit to the Township a certified declaration of compliance prior to commencement of work. Developers/contractors shall be required that their subcontractors comply with this chapter, and this shall be explicitly stipulated in any contracts executed between the developers/contractors and the subcontractors. Any such contracts shall be submitted to the Township.

- A. Reports and records shall be provided to the Township on a quarterly basis – by March 31st, June 30th, September 30th, and December 31st of each year – concerning work performed during the previous quarter.
 - 1. Manning report. The developer/contractor shall provide a report accurately reflecting total hours in each construction trade or craft and the number of hours worked by employees of the developer/contractor, subcontractor, Township residents, female workers, and minority workers.
 - 2. Certified payroll report. The developer/contractor and subcontractor shall provide a certified payroll report specifying residence, gender, ethnic/racial origin, work hours, rate of pay, and benefits provided.
 - 3. Equal employment opportunity reports. The labor organization shall provide a copy of the local union report (EEO-3) and apprenticeship information report (EEO-2).
 - 4. Apprenticeship reports. The labor organization shall list the names, addresses, and contact information of all Neptune Township residents who were accepted into the apprenticeship program. The report should also include those who were rejected for admission and reasons thereof as well as those who failed to finish the program and reasons for failing to complete the program.
 - 5. Cost reports. The developer/contractor shall provide the Township with cost reports as requested to ensure total construction costs do not exceed \$5,000,000.00 exclusive of land acquisition costs. Following completion of a project, the developer/contractor shall submit a certificate of actual total construction costs, certified by the project's architect and engineer. This shall be reviewed by the Township at the time of application for a certificate of occupancy upon completion of

construction.

6. Other reports that may be requested by the Township at its discretion.
7. Certified payroll records shall be maintained by developers/contractors and subcontractors for a period of three years after completion of the covered project. These records shall be timely provided, no later than five business days, upon request by the Township.

B. All developers/contractors and subcontractors performing work on covered projects shall permit access for representatives of the Township to all work sites and to all applicable records in order to monitor compliance with the provisions of this chapter. If the Township has good cause to believe that there has been noncompliance with this chapter, the Township shall issue a written notice and the noncomplying party shall be afforded an opportunity for a hearing before the Township, whereupon a final determination shall be made, prior to the imposition of the sanctions set forth in this section.

C. In the event the Township determines that any developer/contractor or subcontractor has failed to comply with the provisions of this chapter, the Township may seek any and all remedies available at law or in equity, including, but not limited to, terminating the contract, assessing damages, debarring contractor or subcontractor from future contracts and financial assistance, and assessing daily fines of up to 10% of the total price of the contract in question.

SECTION 7. Severability

Any provision of this chapter declared unconstitutional, invalid, or otherwise shall not affect other provisions of this chapter. To this end, each provision of this chapter shall be severable.

SECTION 8. Law Effective Date

This chapter shall take effect after final passage and publication as may be required by law.

Ordinance 25-14 was Adopted on Second Reading on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

ORDINANCES – INTRODUCTION

Mr. Bray stated Ord. 25-13 needs to be reintroduced due to the change in the Committee's meeting schedule so the public hearing can be held on May 12.

ORDINANCE 25-13

Committeeman Stroud offered a motion that Ordinance 25-13 be Introduced on First Reading, seconded by Committeeman McMillan.

ORDINANCE 25-13

AN ORDINANCE OF THE TOWNSHIP OF NEPTUNE ESTABLISHING MINIMUM STORMWATER MANAGEMENT REQUIREMENTS AND CONTROLS FOR “MAJOR DEVELOPMENTS”

BE IT ORDAINED, by the Township Committee of the Township of Neptune that the Code of the Township of Neptune is hereby amended as follows:

Stormwater Control

Section I. Scope and Purpose:

A. Policy Statement

Flood control, groundwater recharge, and pollutant reduction shall be achieved through the

use of stormwater management measures, including green infrastructure Best Management Practices (GI BMPs) and nonstructural stormwater management strategies. GI BMPs and low impact development (LID) should be utilized to meet the goal of maintaining natural hydrology to reduce stormwater runoff volume, reduce erosion, encourage infiltration and groundwater recharge, and reduce pollution. GI BMPs and LID should be developed based upon physical site conditions and the origin, nature and the anticipated quantity, or amount, of potential pollutants. Multiple stormwater management BMPs may be necessary to achieve the established performance standards for water quality, quantity, and groundwater recharge.

B. Purpose

The purpose of this ordinance is to establish minimum stormwater management requirements and controls for “major development,” as defined below in Section II.

C. Applicability

1. This ordinance shall be applicable to the following major developments:
 - a. Non-residential major developments; and
 - b. Aspects of residential major developments that are not pre-empted by the Residential Site Improvement Standards at N.J.A.C. 5:21.
2. This ordinance shall also be applicable to all major developments undertaken by Township of Neptune.
3. An application required by ordinance pursuant to C.1. above that has been submitted prior to October 15, 2024, shall be subject to the stormwater management requirements in effect on October 14, 2024.
4. An application required by ordinance for approval pursuant to C.1. above that has been submitted on or after March 2, 2021, but prior to October 15, 2024, shall be subject to the stormwater management requirements in effect on October 14, 2024.

D. Compatibility with Other Permit and Ordinance Requirements

Development approvals issued pursuant to this ordinance are to be considered an integral part of development approvals and do not relieve the applicant of the responsibility to secure required permits or approvals for activities regulated by any other applicable code, rule, act, or ordinance. In their interpretation and application, the provisions of this ordinance shall be held to be the minimum requirements for the promotion of the public health, safety, and general welfare.

This ordinance is not intended to interfere with, abrogate, or annul any other ordinances, rule or regulation, statute, or other provision of law except that, where any provision of this ordinance imposes restrictions different from those imposed by any other ordinance, rule or regulation, or other provision of law, the more restrictive provisions or higher standards shall control.

Section II. Definitions:

For the purpose of this ordinance, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this Chapter clearly demonstrates a different meaning. When not inconsistent with the context, words used in the present tense include the future, words used in the plural number include the singular number, and words used in the singular number include the plural number. The word "shall" is always mandatory and not merely directory. The definitions below are the same as or based on the corresponding definitions in the Stormwater Management Rules at N.J.A.C. 7:8-1.2.

“CAFRA Centers, Cores or Nodes” means those areas with boundaries incorporated by reference or revised by the Department in accordance with N.J.A.C. 7:7-13.16.

“CAFRA Planning Map” means the map used by the Department to identify the location of Coastal Planning Areas, CAFRA centers, CAFRA cores, and CAFRA nodes. The CAFRA Planning Map is available on the Department's Geographic Information System (GIS).

“Community basin” means an infiltration system, sand filter designed to infiltrate, standard constructed wetland, or wet pond, established in accordance with N.J.A.C. 7:8-4.2(c)14, that is designed and constructed in accordance with the New Jersey Stormwater Best Management Practices Manual, or an alternate design, approved in accordance with N.J.A.C. 7:8-5.2(g), for an infiltration system, sand filter designed to infiltrate, standard constructed wetland, or wet pond and that complies with the requirements of this chapter.

“Compaction” means the increase in soil bulk density.

“Contributory drainage area” means the area from which stormwater runoff drains to a stormwater management measure, not including the area of the stormwater management measure itself.

“Core” means a pedestrian-oriented area of commercial and civic uses serving the surrounding municipality, generally including housing and access to public transportation.

“County review agency” means an agency designated by the County Commissioners to review municipal stormwater management plans and implementing ordinance(s). The county review agency may either be:

1. A county planning agency or
2. A county water resource association created under N.J.S.A 58:16A-55.5, if the ordinance or resolution delegates authority to approve, conditionally approve, or disapprove municipal stormwater management plans and implementing ordinances.

“Department” means the Department of Environmental Protection.

“Designated Center” means a State Development and Redevelopment Plan Center as designated by the State Planning Commission such as urban, regional, town, village, or hamlet.

“Design engineer” means a person professionally qualified and duly licensed in New Jersey to perform engineering services that may include, but not necessarily be limited to, development of project requirements, creation and development of project design and preparation of drawings and specifications.

“Development” means the division of a parcel of land into two or more parcels, the construction, reconstruction, conversion, structural alteration, relocation or enlarge-enlargement of any building or structure, any mining excavation or landfill, and any use or change in the use of any building or other structure, or land or extension of use of land, for which permission is required under the Municipal Land Use Law, N.J.S.A. 40:55D-1 *et seq.*

In the case of development of agricultural land, development means: any activity that requires a State permit, any activity reviewed by the County Agricultural Board (CAB) and the State Agricultural Development Committee (SADC), and municipal review of any activity not exempted by the Right to Farm Act , N.J.S.A 4:1C-1 *et seq.*

“Disturbance” means the placement or reconstruction of impervious surface or motor vehicle surface, or exposure and/or movement of soil or bedrock or clearing, cutting, or removing of vegetation. Milling and repaving is not considered disturbance for the purposes of this definition.

“Drainage area” means a geographic area within which stormwater, sediments, or dissolved materials drain to a particular receiving waterbody or to a particular point along a receiving waterbody.

“Environmentally constrained area” means the following areas where the physical alteration of the land is in some way restricted, either through regulation, easement, deed restriction or ownership such as: wetlands, floodplains, threatened and endangered species sites or designated habitats, and parks and preserves. Habitats of endangered or threatened species are identified using the Department's Landscape Project as approved by the Department's

Endangered and Nongame Species Program.

“Environmentally critical area” means an area or feature which is of significant environmental value, including but not limited to: stream corridors, natural heritage priority sites, habitats of endangered or threatened species, large areas of contiguous open space or upland forest, steep slopes, and well head protection and groundwater recharge areas. Habitats of endangered or threatened species are identified using the Department’s Landscape Project as approved by the Department’s Endangered and Nongame Species Program.

“Empowerment Neighborhoods” means neighborhoods designated by the Urban Coordinating Council “in consultation and conjunction with” the New Jersey Redevelopment Authority pursuant to N.J.S.A 55:19-69.

“Erosion” means the detachment and movement of soil or rock fragments by water, wind, ice, or gravity.

“Green infrastructure” means a stormwater management measure that manages stormwater close to its source by:

1. Treating stormwater runoff through infiltration into subsoil;
2. Treating stormwater runoff through filtration by vegetation or soil; or
3. Storing stormwater runoff for reuse.

"HUC 14" or "hydrologic unit code 14" means an area within which water drains to a particular receiving surface water body, also known as a subwatershed, which is identified by a 14-digit hydrologic unit boundary designation, delineated within New Jersey by the United States Geological Survey.

“Impervious surface” means a surface that has been covered with a layer of material so that it is highly resistant to infiltration by water.

“Infiltration” is the process by which water seeps into the soil from precipitation.

“Lead planning agency” means one or more public entities having stormwater management planning authority designated by the regional stormwater management planning committee pursuant to N.J.A.C. 7:8-3.2, that serves as the primary representative of the committee.

“Major development” means an individual “development,” as well as multiple developments that individually or collectively result in:

1. The disturbance of one or more acres of land since February 2, 2004;
2. The creation of one-quarter acre or more of “regulated impervious surface” since February 2, 2004;
3. The creation of one-quarter acre or more of “regulated motor vehicle surface” since March 2, 2021; or
4. A combination of 2 and 3 above that totals an area of one-quarter acre or more. The same surface shall not be counted twice when determining if the combination area equals one-quarter acre or more.

Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually meet any one or more of paragraphs 1, 2, 3, or 4 above. Projects undertaken by any government agency that otherwise meet the definition of “major development” but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered “major development.”

“Motor vehicle” means land vehicles propelled other than by muscular power, such as automobiles, motorcycles, autocycles, and low speed vehicles. For the purposes of this definition, motor vehicle does not include farm equipment, snowmobiles, all-terrain

vehicles, motorized wheelchairs, go-carts, gas buggies, golf carts, ski-slope grooming machines, or vehicles that run only on rails or tracks.

“Motor vehicle surface” means any pervious or impervious surface that is intended to be used by “motor vehicles” and/or aircraft, and is directly exposed to precipitation including, but not limited to, driveways, parking areas, parking garages, roads, race-tracks, and runways.

“Municipality” means any city, borough, town, township, or village.

“New Jersey Stormwater Best Management Practices (BMP) Manual” or “BMP Manual” means the manual maintained by the Department providing, in part, design specifications, removal rates, calculation methods, and soil testing procedures approved by the Department as being capable of contributing to the achievement of the stormwater management standards specified in this chapter. The BMP Manual is periodically amended by the Department as necessary to provide design specifications on additional best management practices and new information on already included practices reflecting the best available current information regarding the particular practice and the Department’s determination as to the ability of that best management practice to contribute to compliance with the standards contained in this chapter. Alternative stormwater management measures, removal rates, or calculation methods may be utilized, subject to any limitations specified in this chapter, provided the design engineer demonstrates to the municipality, in accordance with Section IV.F. of this ordinance and N.J.A.C. 7:8-5.2(g), that the proposed measure and its design will contribute to achievement of the design and performance standards established by this chapter.

“Node” means an area designated by the State Planning Commission concentrating facilities and activities which are not organized in a compact form.

“Nutrient” means a chemical element or compound, such as nitrogen or phosphorus, which is essential to and promotes the development of organisms.

“Person” means any individual, corporation, company, partnership, firm, association, political subdivision of this State and any state, interstate or Federal agency.

“Pollutant” means any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, refuse, oil, grease, sewage sludge, munitions, chemical wastes, biological materials, medical wastes, radioactive substance (except those regulated under the Atomic Energy Act of 1954, as amended (42 U.S.C. §§ 2011 *et seq.*)), thermal waste, wrecked or discarded equipment, rock, sand, cellar dirt, industrial, municipal, agricultural, and construction waste or runoff, or other residue discharged directly or indirectly to the land, ground waters or surface waters of the State, or to a domestic treatment works.

“Pollutant” includes both hazardous and nonhazardous pollutants.

"Public roadway or railroad" means a pathway for use by motor vehicles or trains that is intended for public use and is constructed by, or on behalf of, a public transportation entity. A public roadway or railroad does not include a roadway or railroad constructed as part of a private development, regardless of whether the roadway or railroad is ultimately to be dedicated to and/or maintained by a governmental entity.

“Public transportation entity” means a Federal, State, county, or municipal government, an independent State authority, or a statutorily authorized public-private partnership program pursuant to P.L. 2018, c. 90 (N.J.S.A. 40A:11-52 *et seq.*), that performs a public roadway or railroad project that includes new construction, expansion, reconstruction, or improvement of a public roadway or railroad.

“Recharge” means the amount of water from precipitation that infiltrates into the ground and is not evapotranspired.

“Regulated impervious surface” means any of the following, alone or in combination:

1. A net increase of impervious surface;
2. The total area of impervious surface collected by a new stormwater conveyance system (for the purpose of this definition, a “new stormwater conveyance system” is a stormwater conveyance system that is constructed where one did not exist immediately prior to its construction or an existing system for which a new discharge location is created);
3. The total area of impervious surface proposed to be newly collected by an existing stormwater conveyance system; and/or
4. The total area of impervious surface collected by an existing stormwater conveyance system where the capacity of that conveyance system is increased.

“Regulated motor vehicle surface” means any of the following, alone or in combination:

1. The total area of motor vehicle surface that is currently receiving water;
2. A net increase in motor vehicle surface; and/or
quality treatment either by vegetation or soil, by an existing stormwater management measure, or by treatment at a wastewater treatment plant, where the water quality treatment will be modified or removed.

“Sediment” means solid material, mineral or organic, that is in suspension, is being transported, or has been moved from its site of origin by air, water or gravity as a product of erosion.

“Site” means the lot or lots upon which a major development is to occur or has occurred.

“Soil” means all unconsolidated mineral and organic material of any origin.

“State Development and Redevelopment Plan Metropolitan Planning Area (PA1)” means an area delineated on the State Plan Policy Map and adopted by the State Planning Commission that is intended to be the focus for much of the State’s future redevelopment and revitalization efforts.

“State Plan Policy Map” is defined as the geographic application of the State Development and Redevelopment Plan’s goals and statewide policies, and the official map of these goals and policies.

“Stormwater” means water resulting from precipitation (including rain and snow) that runs off the land’s surface, is transmitted to the subsurface, or is captured by separate storm sewers or other sewage or drainage facilities, or conveyed by snow removal equipment.

“Stormwater management BMP” means an excavation or embankment and related areas designed to retain stormwater runoff. A stormwater management BMP may either be normally dry (that is, a detention basin or infiltration system), retain water in a permanent pool (a retention basin), or be planted mainly with wetland vegetation (most constructed stormwater wetlands).

“Stormwater management measure” means any practice, technology, process, program, or other method intended to control or reduce stormwater runoff and associated pollutants, or to induce or control the infiltration or groundwater recharge of stormwater or to eliminate illicit or illegal non-stormwater discharges into stormwater conveyances.

“Stormwater runoff” means water flow on the surface of the ground or in storm sewers, resulting from precipitation.

“Stormwater management planning agency” means a public body authorized by legislation to prepare stormwater management plans.

“Stormwater management planning area” means the geographic area for which a stormwater management planning agency is authorized to prepare stormwater management plans, or a specific portion of that area identified in a stormwater management plan prepared by that agency.

“Tidal Flood Hazard Area” means a flood hazard area in which the flood elevation resulting from the two-, 10-, or 100-year storm, as applicable, is governed by tidal flooding from the Atlantic Ocean. Flooding in a tidal flood hazard area may be contributed to, or influenced by, stormwater runoff from inland areas, but the depth of flooding generated by the tidal rise and fall of the Atlantic Ocean is greater than flooding from any fluvial sources. In some situations, depending upon the extent of the storm surge from a particular storm event, a flood hazard area may be tidal in the 100-year storm, but fluvial in more frequent storm events.

“Urban Coordinating Council Empowerment Neighborhood” means a neighborhood given priority access to State resources through the New Jersey Redevelopment Authority.

“Urban Enterprise Zones” means a zone designated by the New Jersey Enterprise Zone Authority pursuant to the New Jersey Urban Enterprise Zones Act, N.J.S.A. 52:27H-60 et. seq.

“Urban Redevelopment Area” is defined as previously developed portions of areas:

1. Delineated on the State Plan Policy Map (SPPM) as the Metropolitan Planning Area (PA1), Designated Centers, Cores or Nodes;
2. Designated as CAFRA Centers, Cores or Nodes;
3. Designated as Urban Enterprise Zones; and
4. Designated as Urban Coordinating Council Empowerment Neighborhoods.

“Water control structure” means a structure within, or adjacent to, a water, which intentionally or coincidentally alters the hydraulic capacity, the flood elevation resulting from the two-, 10-, or 100-year storm, flood hazard area limit, and/or floodway limit of the water. Examples of a water control structure may include a bridge, culvert, dam, embankment, ford (if above grade), retaining wall, and weir.

“Waters of the State” means the ocean and its estuaries, all springs, streams, wetlands, and bodies of surface or groundwater, whether natural or artificial, within the boundaries of the State of New Jersey or subject to its jurisdiction.

“Wetlands” or “wetland” means an area that is inundated or saturated by surface water or ground water at a frequency and duration sufficient to support, and that under normal circumstances does support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as hydrophytic vegetation.

Section III. Design and Performance Standards for Stormwater Management Measures

- A. Stormwater management measures for major development shall be designed to provide erosion control, groundwater recharge, stormwater runoff quantity control, and stormwater runoff quality treatment as follows:
 1. The minimum standards for erosion control are those established under the Soil Erosion and Sediment Control Act, N.J.S.A. 4:24-39 et seq., and implementing rules at N.J.A.C. 2:90.
 2. The minimum standards for groundwater recharge, stormwater quality, and stormwater runoff quantity shall be met by incorporating green infrastructure.
- B. The standards in this ordinance apply only to new major development and are intended to minimize the impact of stormwater runoff on water quality and water quantity in receiving water bodies and maintain groundwater recharge. The standards do not apply to new major development to the extent that alternative design and performance standards are applicable

under a regional stormwater management plan or Water Quality Management Plan adopted in accordance with Department rules.

Section IV. Stormwater Management Requirements for Major Development

- A. The development shall incorporate a maintenance plan for the stormwater management measures incorporated into the design of a major development in accordance with Section X.
- B. Stormwater management measures shall avoid adverse impacts of concentrated flow on habitat for threatened and endangered species as documented in the Department's Landscape Project or Natural Heritage Database established under N.J.S.A. 13:1B-15.147 through 15.150, particularly *Helonias bullata* (swamp pink) and/or *Clemmys mublenebergi* (bog turtle).
- C. The following linear development projects are exempt from the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity requirements of Section IV.P, Q and R:
 - 1. The construction of an underground utility line provided that the disturbed areas are revegetated upon completion;
 - 2. The construction of an aboveground utility line provided that the existing conditions are maintained to the maximum extent practicable; and
 - 3. The construction of a public pedestrian access, such as a sidewalk or trail with a maximum width of 14 feet, provided that the access is made of permeable material.
- D. A waiver from strict compliance from the green infrastructure, groundwater recharge, stormwater runoff quality, and stormwater runoff quantity requirements of Section IV.O, P, Q and R may be obtained for the enlargement of an existing public roadway or railroad; or the construction or enlargement of a public pedestrian access, provided that the following conditions are met:
 - 1. The applicant demonstrates that there is a public need for the project that cannot be accomplished by any other means;
 - 2. The applicant demonstrates through an alternatives analysis, that through the use of stormwater management measures, the option selected complies with the requirements of Section IV.O, P, Q and R to the maximum extent practicable;
 - 3. The applicant demonstrates that, in order to meet the requirements of Section IV.O, P, Q and R, existing structures currently in use, such as homes and buildings, would need to be condemned; and
 - 4. The applicant demonstrates that it does not own or have other rights to areas, including the potential to obtain through condemnation lands not falling under IV.D.3 above within the upstream drainage area of the receiving stream, that would provide additional opportunities to mitigate the requirements of Section IV.O, P, Q and R that were not achievable onsite.
- E. Tables 1 through 3 below summarize the ability of stormwater best management practices identified and described in the New Jersey Stormwater Best Management Practices Manual to satisfy the green infrastructure, groundwater recharge, stormwater runoff quality and stormwater runoff quantity standards specified in Section IV.O, P, Q and R. When designed in accordance with the most current version of the New Jersey Stormwater Best Management Practices Manual, the stormwater management measures found at N.J.A.C. 7:8-5.2 (f) Tables 5-1, 5-2 and 5-3 and listed below in Tables 1, 2 and 3 are presumed to be capable of providing stormwater controls for the design and performance standards as outlined in the tables below. Upon amendments of the New Jersey Stormwater Best Management Practices to reflect additions or deletions of BMPs meeting these standards, or changes in the presumed performance of BMPs designed in accordance with the New Jersey Stormwater BMP Manual, the Department shall publish in the New Jersey Registers a notice of administrative change revising the applicable table. The most current version of the BMP Manual can be found on the Department's website at:

<https://dep.nj.gov/stormwater/bmp-manual/>.
- F. Where the BMP tables in the NJ Stormwater Management Rule are different due to updates or amendments with the tables in this ordinance the BMP Tables in the Stormwater Management rule at N.J.A.C. 7:8-5.2(f) shall take precedence.

Table 1 Green Infrastructure BMPs for Groundwater Recharge, Stormwater Runoff Quality, and/or Stormwater Runoff Quantity				
Best Management Practice	Stormwater Runoff Quality TSS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table (feet)
Cistern	0	Yes	No	--
Dry Well ^(a)	0	No	Yes	2
Grass Swale	50 or less	No	No	2 ^(e) 1 ^(f)
Green Roof	0	Yes	No	--
Manufactured Treatment Device ^{(a) (g)}	50 or 80	No	No	Dependent upon the device
Pervious Paving System ^(a)	80	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Small-Scale Bioretention Basin ^(a)	80 or 90	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Small-Scale Infiltration Basin ^(a)	80	Yes	Yes	2
Small-Scale Sand Filter	80	Yes	Yes	2
Vegetative Filter Strip	60-80	No	No	--

(Notes corresponding to annotations ^(a) through ^(g) are found after Table 1, 2, and 3)

Table 2 Green Infrastructure BMPs for Stormwater Runoff Quantity (or for Groundwater Recharge and/or Stormwater Runoff Quality with a Waiver or Variance from N.J.A.C. 7:8-5.3)				
Best Management Practice	Stormwater Runoff Quality TSS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table (feet)
Bioretention System	80 or 90	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Infiltration Basin	80	Yes	Yes	2
Sand Filter ^(b)	80	Yes	Yes	2
Standard Constructed Wetland	90	Yes	No	N/A
Wet Pond ^(d)	50-90	Yes	No	N/A

(Notes corresponding to annotations ^(b) through ^(d) are found after Table 1, 2, and 3)

Table 3 BMPs for Groundwater Recharge, Stormwater Runoff Quality, and/or Stormwater Runoff Quantity only with a Waiver or Variance from N.J.A.C. 7:8-5.3				
---	--	--	--	--

Best Management Practice	Stormwater Runoff Quality TSS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table (feet)
Blue Roof	0	Yes	No	N/A
Extended Detention Basin	40-60	Yes	No	1
Manufactured Treatment Device ^(h)	50 or 80	No	No	Dependent upon the device
Sand Filter ^(c)	80	Yes	No	1
Subsurface Gravel Wetland	90	No	No	1
Wet Pond	50-90	Yes	No	N/A

(Notes corresponding to annotations ^(b) through ^(d) are found after Table 1, 2, and 3)

Notes to Tables 1, 2, and 3:

- (a) subject to the applicable contributory drainage area limitation specified at Section IV.O.2;
 - (b) designed to infiltrate into the subsoil;
 - (c) designed with underdrains;
 - (d) designed to maintain at least a 10-foot wide area of native vegetation along at least 50 percent of the shoreline and to include a stormwater runoff retention component designed to capture stormwater runoff for beneficial reuse, such as irrigation;
 - (e) designed with a slope of less than two percent;
 - (f) designed with a slope of equal to or greater than two percent;
 - (g) manufactured treatment devices that meet the definition of green infrastructure at Section II;
 - (h) manufactured treatment devices that do not meet the definition of green infrastructure at Section II.
- G. An alternative stormwater management measure, alternative removal rate, and/or alternative method to calculate the removal rate may be used if the design engineer demonstrates the capability of the proposed alternative stormwater management measure and/or the validity of the alternative rate or method to the municipality. A copy of any approved alternative stormwater management measure, alternative removal rate, and/or alternative method to calculate the removal rate shall be provided to the Department in accordance with Section VI.B. Alternative stormwater management measures may be used to satisfy the requirements at Section IV.O only if the measures meet the definition of green infrastructure at Section II. Alternative stormwater management measures that function in a similar manner to a BMP listed at Section O.2 are subject to the contributory drainage area limitation specified at Section O.2 for that similarly functioning BMP. Alternative stormwater management measures approved in accordance with this subsection that do not function in a similar manner to any BMP listed at Section O.2 shall have a contributory drainage area less than or equal to 2.5 acres, except for alternative stormwater management measures that function similarly to cisterns, grass swales, green roofs, standard constructed wetlands, vegetative filter strips, and wet ponds, which are not subject to a contributory drainage area limitation. Alternative measures that function similarly to standard constructed wetlands or wet ponds shall not be used for compliance with the stormwater runoff quality standard unless a variance in accordance with N.J.A.C. 7:8-4.6 or a waiver from strict compliance in accordance with Section IV.D is granted from Section IV.O.
- H. Whenever the stormwater management design includes one or more BMPs that will infiltrate stormwater into subsoil, the design engineer shall assess the hydraulic impact on the groundwater table and design the site, so as to avoid adverse hydraulic impacts. Potential adverse hydraulic impacts include, but are not limited to, exacerbating a naturally or seasonally high water table, so as to cause surficial ponding, flooding of basements, or interference with the proper operation of subsurface sewage disposal systems or other subsurface structures within the zone of influence of the groundwater mound, or interference with the proper functioning of the stormwater management measure itself.
- I. Design standards for stormwater management measures are as follows:

1. Stormwater management measures shall be designed to take into account the existing site conditions, including, but not limited to, environmentally critical areas; wetlands; flood-prone areas; slopes; depth to seasonal high water table; soil type, permeability, and texture; drainage area and drainage patterns; and the presence of solution-prone carbonate rocks (limestone);
 2. Stormwater management measures shall be designed to minimize maintenance, facilitate maintenance and repairs, and ensure proper functioning. Trash racks shall be installed at the intake to the outlet structure, as appropriate, and shall have parallel bars with one-inch spacing between the bars to the elevation of the water quality design storm. For elevations higher than the water quality design storm, the parallel bars at the outlet structure shall be spaced no greater than one-third the width of the diameter of the orifice or one-third the width of the weir, with a minimum spacing between bars of one inch and a maximum spacing between bars of six inches. In addition, the design of trash racks must comply with the requirements of Section VIII.C;
 3. Stormwater management measures shall be designed, constructed, and installed to be strong, durable, and corrosion resistant. Measures that are consistent with the relevant portions of the Residential Site Improvement Standards at N.J.A.C. 5:21-7.3, 7.4, and 7.5 shall be deemed to meet this requirement;
 4. Stormwater management BMPs shall be designed to meet the minimum safety standards for stormwater management BMPs at Section VIII; and
 5. The size of the orifice at the intake to the outlet from the stormwater management BMP shall be a minimum of two and one-half inches in diameter.
- J. Manufactured treatment devices may be used to meet the requirements of this subchapter, provided the pollutant removal rates are verified by the New Jersey Corporation for Advanced Technology and certified by the Department. Manufactured treatment devices that do not meet the definition of green infrastructure at Section II may be used only under the circumstances described at Section IV.O.4.
- K. Any application for a new agricultural development that meets the definition of major development at Section II shall be submitted to the Soil Conservation District for review and approval in accordance with the requirements at Sections IV.O, P, Q and R and any applicable Soil Conservation District guidelines for stormwater runoff quantity and erosion control. For purposes of this subsection, "agricultural development" means land uses normally associated with the production of food, fiber, and livestock for sale. Such uses do not include the development of land for the processing or sale of food and the manufacture of agriculturally related products.
- L. If there is more than one drainage area, the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Section IV.P, Q and R shall be met in each drainage area, unless the runoff from the drainage areas converge onsite and no adverse environmental impact would occur as a result of compliance with any one or more of the individual standards being determined utilizing a weighted average of the results achieved for that individual standard across the affected drainage areas.
- M. Any stormwater management measure authorized under the municipal stormwater management plan or ordinance shall be reflected in a deed notice recorded in the Office of the Clerk of the County of Monmouth. A form of deed notice shall be submitted to the municipality for approval prior to filing. The deed notice shall contain a description of the stormwater management measure(s) used to meet the green infrastructure, groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Section IV.O, P, Q and R and shall identify the location of the stormwater management measure(s) in NAD 1983 State Plane New Jersey FIPS 2900 US Feet or Latitude and Longitude in decimal degrees. The deed notice shall also reference the maintenance plan required to be recorded upon the deed pursuant to Section X.B.5. Prior to the commencement of construction, proof that the above required deed notice has been filed shall be submitted to the municipality. Proof that the required information has been recorded on the deed shall be in the form of either a copy of the complete recorded document or a receipt from the clerk or other proof of recordation provided by the recording office. However, if the initial proof provided to the municipality is not a copy of the complete recorded document, a copy of the complete recorded document shall be provided to the municipality within 180 calendar days of the authorization granted by the municipality.
- N. A stormwater management measure approved under the municipal stormwater management plan or ordinance may be altered or replaced with the approval of the municipality, if the municipality determines that the proposed alteration or replacement meets the design and performance standards pursuant to Section IV of this ordinance and provides the same level of stormwater management as the previously approved stormwater management measure that is being altered or replaced. If an alteration or replacement is approved, a revised deed

notice shall be submitted to the municipality for approval and subsequently recorded with the Office of the Clerk of the County of Monmouth and shall contain a description and location of the stormwater management measure, as well as reference to the maintenance plan, in accordance with M above. Prior to the commencement of construction, proof that the above required deed notice has been filed shall be submitted to the municipality in accordance with M above.

O. Green Infrastructure Standards

1. This subsection specifies the types of green infrastructure BMPs that may be used to satisfy the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards.
2. To satisfy the groundwater recharge and stormwater runoff quality standards at Section IV.P and Q, the design engineer shall utilize green infrastructure BMPs identified in Table 1 at Section IV.F. and/or an alternative stormwater management measure approved in accordance with Section IV.G. The following green infrastructure BMPs are subject to the following maximum contributory drainage area limitations:

Best Management Practice	Maximum Contributory Drainage Area
Dry Well	1 acre
Manufactured Treatment Device	2.5 acres
Pervious Pavement Systems	Area of additional inflow cannot exceed three times the area occupied by the BMP
Small-scale Bioretention Systems	2.5 acres
Small-scale Infiltration Basin	2.5 acres
Small-scale Sand Filter	2.5 acres

3. To satisfy the stormwater runoff quantity standards at Section IV.R, the design engineer shall utilize BMPs from Table 1 or from Table 2 and/or an alternative stormwater management measure approved in accordance with Section IV.G.
4. If a variance in accordance with N.J.A.C. 7:8-4.6 or a waiver from strict compliance in accordance with Section IV.D is granted from the requirements of this subsection, then BMPs from Table 1, 2, or 3, and/or an alternative stormwater management measure approved in accordance with Section IV.G may be used to meet the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Section IV.P, Q and R.
5. For separate or combined storm sewer improvement projects, such as sewer separation, undertaken by a government agency or public utility (for example, a sewerage company), the requirements of this subsection shall only apply to areas owned in fee simple by the government agency or utility, and areas within a right-of-way or easement held or controlled by the government agency or utility; the entity shall not be required to obtain additional property or property rights to fully satisfy the requirements of this subsection. Regardless of the amount of area of a separate or combined storm sewer improvement project subject to the green infrastructure requirements of this subsection, each project shall fully comply with the applicable groundwater recharge, stormwater runoff quality control, and stormwater runoff quantity standards at Section IV.P, Q and R, unless the project is granted a waiver from strict compliance in accordance with Section IV.D.

P. Groundwater Recharge Standards

1. This subsection contains the minimum design and performance standards for groundwater recharge as follows:
2. The design engineer shall, using the assumptions and factors for stormwater runoff and groundwater recharge calculations at Section V, either:
 - i. Demonstrate through hydrologic and hydraulic analysis that the site and its stormwater management measures maintain 100 percent of the average annual pre-construction groundwater recharge volume for the site; or
 - ii. Demonstrate through hydrologic and hydraulic analysis that the increase of stormwater runoff volume from pre-construction to post-construction for the projected 2-year storm, as defined and determined pursuant to Section V.D of this ordinance, is infiltrated.

- 3. This groundwater recharge requirement does not apply to projects within the “urban redevelopment area,” or to projects subject to 4 below.
- 4. The following types of stormwater shall not be recharged:
 - i. Stormwater from areas of high pollutant loading. High pollutant loading areas are areas in industrial and commercial developments where solvents and/or petroleum products are loaded/unloaded, stored, or applied, areas where pesticides are loaded/unloaded or stored; areas where hazardous materials are expected to be present in greater than “reportable quantities” as defined by the United States Environmental Protection Agency (EPA) at 40 CFR 302.4; areas where recharge would be inconsistent with Department approved remedial action work plan approved pursuant to the Administrative Requirements for the Remediation of Contaminated Sites rules, N.J.A.C. 7:26C, or Department landfill closure plan and areas; and areas with high risks for spills of toxic materials, such as gas stations and vehicle maintenance facilities; and
 - ii. Industrial stormwater exposed to “source material.” “Source material” means any material(s) or machinery, located at an industrial facility, that is directly or indirectly related to process, manufacturing or other industrial activities, which could be a source of pollutants in any industrial stormwater discharge to groundwater. Source materials include, but are not limited to, raw materials; intermediate products; final products; waste materials; by-products; industrial machinery and fuels, and lubricants, solvents, and detergents that are related to process, manufacturing, or other industrial activities that are exposed to stormwater.

Q. Stormwater Runoff Quality Standards

- 1. This subsection contains the minimum design and performance standards to control stormwater runoff quality impacts of major development. Stormwater runoff quality standards are applicable when the major development results in an increase of one-quarter acre or more of regulated motor vehicle surface.
- 2. Stormwater management measures shall be designed to reduce the post-construction load of total suspended solids (TSS) in stormwater runoff generated from the water quality design storm as follows:
 - i. Eighty percent TSS removal of the anticipated load, expressed as an annual average shall be achieved for the stormwater runoff from the net increase of motor vehicle surface.
 - ii. If the surface is considered regulated motor vehicle surface because the water quality treatment for an area of motor vehicle surface that is currently receiving water quality treatment either by vegetation or soil, by an existing stormwater management measure, or by treatment at a wastewater treatment plant is to be modified or removed, the project shall maintain or increase the existing TSS removal of the anticipated load expressed as an annual average.
- 3. The requirement to reduce TSS does not apply to any stormwater runoff in a discharge regulated under a numeric effluent limitation for TSS imposed under the New Jersey Pollutant Discharge Elimination System (NJPDES) rules, N.J.A.C. 7:14A, or in a discharge specifically exempt under a NJPDES permit from this requirement. Every major development, including any that discharge into a combined sewer system, shall comply with 2 above, unless the major development is itself subject to a NJPDES permit with a numeric effluent limitation for TSS or the NJPDES permit to which the major development is subject exempts the development from a numeric effluent limitation for TSS.
- 4. The water quality design storm is 1.25 inches of rainfall in two hours. Water quality calculations shall take into account the distribution of rain from the water quality design storm, as reflected in Table 4, below. The calculation of the volume of runoff may take into account the implementation of stormwater management measures.

Table 4 - Water Quality Design Storm Distribution

Time (Minutes)	Cumulative Rainfall (Inches)	Time (Minutes)	Cumulative Rainfall (Inches)	Time (Minutes)	Cumulative Rainfall (Inches)
1	0.00166	41	0.1728	81	1.0906
2	0.00332	42	0.1796	82	1.0972
3	0.00498	43	0.1864	83	1.1038
4	0.00664	44	0.1932	84	1.1104
5	0.00830	45	0.2000	85	1.1170
6	0.00996	46	0.2117	86	1.1236
7	0.01162	47	0.2233	87	1.1302
8	0.01328	48	0.2350	88	1.1368
9	0.01494	49	0.2466	89	1.1434
10	0.01660	50	0.2583	90	1.1500
11	0.01828	51	0.2783	91	1.1550
12	0.01996	52	0.2983	92	1.1600
13	0.02164	53	0.3183	93	1.1650
14	0.02332	54	0.3383	94	1.1700
15	0.02500	55	0.3583	95	1.1750
16	0.03000	56	0.4116	96	1.1800
17	0.03500	57	0.4650	97	1.1850
18	0.04000	58	0.5183	98	1.1900
19	0.04500	59	0.5717	99	1.1950
20	0.05000	60	0.6250	100	1.2000
21	0.05500	61	0.6783	101	1.2050
22	0.06000	62	0.7317	102	1.2100
23	0.06500	63	0.7850	103	1.2150
24	0.07000	64	0.8384	104	1.2200
25	0.07500	65	0.8917	105	1.2250
26	0.08000	66	0.9117	106	1.2267
27	0.08500	67	0.9317	107	1.2284
28	0.09000	68	0.9517	108	1.2300
29	0.09500	69	0.9717	109	1.2317
30	0.10000	70	0.9917	110	1.2334
31	0.10660	71	1.0034	111	1.2351
32	0.11320	72	1.0150	112	1.2367
33	0.11980	73	1.0267	113	1.2384
34	0.12640	74	1.0383	114	1.2400
35	0.13300	75	1.0500	115	1.2417
36	0.13960	76	1.0568	116	1.2434
37	0.14620	77	1.0636	117	1.2450
38	0.15280	78	1.0704	118	1.2467
39	0.15940	79	1.0772	119	1.2483
40	0.16600	80	1.0840	120	1.2500

- If more than one BMP in series is necessary to achieve the required 80 percent TSS reduction for a site, the applicant shall utilize the following formula to calculate TSS reduction:

$$R = A + B - (A \times B) / 100,$$

Where

R = total TSS Percent Load Removal from application of both BMPs, and
A = the TSS Percent Removal Rate applicable to the first BMP
B = the TSS Percent Removal Rate applicable to the second BMP.
- Stormwater management measures shall also be designed to reduce, to the maximum extent feasible, the post-construction nutrient load of the anticipated load from the developed site in stormwater runoff generated from the water quality design storm. In achieving reduction of nutrients to the maximum extent feasible, the design of the site shall include green infrastructure BMPs that optimize nutrient removal while still achieving the performance standards in Section IV.P, Q and R.

7. In accordance with the definition of FW1 at N.J.A.C. 7:9B-1.4, stormwater management measures shall be designed to prevent any increase in stormwater runoff to waters classified as FW1.
8. The Flood Hazard Area Control Act Rules at N.J.A.C. 7:13-4.1(c)1 establish 300-foot riparian zones along Category One waters, as designated in the Surface Water Quality Standards at N.J.A.C. 7:9B, and certain upstream tributaries to Category One waters. A person shall not undertake a major development that is located within or discharges into a 300-foot riparian zone without prior authorization from the Department under N.J.A.C. 7:13.
9. Pursuant to the Flood Hazard Area Control Act Rules at N.J.A.C. 7:13-11.2(j)3.i, runoff from the water quality design storm that is discharged within a 300-foot riparian zone shall be treated in accordance with this subsection to reduce the post-construction load of total suspended solids by 95 percent of the anticipated load from the developed site, expressed as an annual average.
10. The stormwater runoff quality standards do not apply to the construction of one individual single-family dwelling, provided that it is not part of a larger development or subdivision that has received preliminary or final site plan approval prior to December 3, 2018, and that the motor vehicle surfaces are made of permeable material(s) such as gravel, dirt, and/or shells.

R. Stormwater Runoff Quantity Standards

1. This subsection contains the minimum design and performance standards to control stormwater runoff quantity impacts of major development.
2. In order to control stormwater runoff quantity impacts, the design engineer shall, using the assumptions and factors for stormwater runoff calculations at Section V, complete one of the following:
 - i. Demonstrate through hydrologic and hydraulic analysis that for stormwater leaving the site, post-construction runoff hydrographs for the current and projected 2-, 10-, and 100-year storm events, as defined and determined in Section V.C and D, respectively, of this ordinance, do not exceed, at any point in time, the pre-construction runoff hydrographs for the same storm events;
 - ii. Demonstrate through hydrologic and hydraulic analysis that there is no increase, as compared to the pre-construction condition, in the peak runoff rates of stormwater leaving the site for the current and projected 2-, 10-, and 100-year storm events, as defined and determined pursuant to Section V.C and D, respectively, of this ordinance, and that the increased volume or change in timing of stormwater runoff will not increase flood damage at or downstream of the site. This analysis shall include the analysis of impacts of existing land uses and projected land uses assuming full development under existing zoning and land use ordinances in the drainage area;
 - iii. Design stormwater management measures so that the post-construction peak runoff rates for the current and projected 2-, 10-, and 100-year storm events, as defined and determined in Section V.C and D, respectively, of this ordinance, are 50, 75 and 80 percent, respectively, of the pre-construction peak runoff rates. The percentages apply only to the post-construction stormwater runoff that is attributable to the portion of the site on which the proposed development or project is to be constructed; or
 - iv. In tidal flood hazard areas, stormwater runoff quantity analysis in accordance with 2.i, ii and iii above is required unless the design engineer demonstrates through hydrologic and hydraulic analysis that the increased volume, change in timing, or increased rate of the stormwater runoff, or any combination of the three will not result in additional flood damage below the point of discharge of the major development. No analysis is required if the stormwater is discharged directly into any ocean, bay, inlet, or the reach of any watercourse between its confluence with an ocean, bay, or inlet and downstream of the first water control structure.
3. The stormwater runoff quantity standards shall be applied at the site's boundary to each abutting lot, roadway, watercourse, or receiving storm sewer system.

Section V. Calculation of Stormwater Runoff and Groundwater Recharge:

A. Stormwater runoff shall be calculated in accordance with the following:

1. The design engineer shall calculate runoff using ~~one of~~ the following methods:

The USDA Natural Resources Conservation Service (NRCS) methodology,

including the NRCS Runoff Equation and Dimensionless Unit Hydrograph, as described in Chapters 7, 9, 10, 15 and 16 *Part 630, Hydrology National Engineering Handbook*, incorporated herein by reference as amended and supplemented. This methodology is additionally described in *Technical Release 55 - Urban Hydrology for Small Watersheds* (TR-55), dated June 1986, incorporated herein by reference as amended and supplemented. Information regarding the methodology is available from the Natural Resources Conservation Service website at:

<https://directives.sc.egov.usda.gov/viewerFS.aspx?hid=21422>

or at United States Department of Agriculture Natural Resources Conservation Service, New Jersey State Office.

2. For the purpose of calculating curve numbers and groundwater recharge, there is a presumption that the pre-construction condition of a site or portion thereof is a wooded land use with good hydrologic condition. The term “curve number” applies to the NRCS methodology above at Section V.A.1. A curve number or a groundwater recharge land cover for an existing condition may be used on all or a portion of the site if the design engineer verifies that the hydrologic condition has existed on the site or portion of the site for at least five years without interruption prior to the time of application. If more than one land cover has existed on the site during the five years immediately prior to the time of application, the land cover with the lowest runoff potential shall be used for the computations. In addition, there is the presumption that the site is in good hydrologic condition (if the land use type is pasture, lawn, or park), with good cover (if the land use type is woods), or with good hydrologic condition and conservation treatment (if the land use type is cultivation).
 3. In computing pre-construction stormwater runoff, the design engineer shall account for all significant land features and structures, such as ponds, wetlands, depressions, hedgerows, or culverts, that may reduce pre-construction stormwater runoff rates and volumes.
 4. In computing stormwater runoff from all design storms, the design engineer shall consider the relative stormwater runoff rates and/or volumes of pervious and impervious surfaces separately to accurately compute the rates and volume of stormwater runoff from the site. To calculate runoff from unconnected impervious cover, urban impervious area modifications as described in the NRCS *Technical Release 55 – Urban Hydrology for Small Watersheds* or other methods may be employed.
 5. If the invert of the outlet structure of a stormwater management measure is below the flood hazard design flood elevation as defined at N.J.A.C. 7:13, the design engineer shall take into account the effects of tailwater in the design of structural stormwater management measures.
- B. Groundwater recharge may be calculated in accordance with the following:

The New Jersey Geological Survey Report GSR-32: A Method for Evaluating Groundwater-Recharge Areas in New Jersey, incorporated herein by reference as amended and supplemented. Information regarding the methodology is available from the New Jersey Stormwater Best Management Practices Manual; at the New Jersey Geological Survey website at:

<https://www.nj.gov/dep/njgs/pricelst/gsreport/gsr32.pdf>

or at New Jersey Geological and Water Survey, 29 Arctic Parkway, PO Box 420 Mail Code 29-01, Trenton, New Jersey 08625-0420.

- C. The precipitation depths of the current two-, 10-, and 100-year storm events shall be determined by multiplying the values determined in accordance with items 1 and 2 below:
1. The applicant shall utilize the National Oceanographic and Atmospheric Administration (NOAA), National Weather Service’s Atlas 14 Point Precipitation Frequency Estimates: NJ, in accordance with the location(s) of the drainage area(s) of the site. This data is available at:
https://hdsc.nws.noaa.gov/hdsc/pfds/pfds_map_cont.html?bkmrk=nj; and
 2. The applicant shall utilize Table 5: Current Precipitation Adjustment Factors below, which sets forth the applicable multiplier for the drainage area(s) of the site, in

accordance with the county or counties where the drainage area(s) of the site is located. Where the major development lies in more than one county, the precipitation values shall be adjusted according to the percentage of the drainage area in each county. Alternately, separate rainfall totals can be developed for each county using the values in the table below.

Table 5: Current Precipitation Adjustment Factors

County	Current Precipitation Adjustment Factors		
	2-year Design Storm	10-year Design Storm	100-year Design Storm
Atlantic	1.01	1.02	1.03
Bergen	1.01	1.03	1.06
Burlington	0.99	1.01	1.04
Camden	1.03	1.04	1.05
Cape May	1.03	1.03	1.04
Cumberland	1.03	1.03	1.01
Essex	1.01	1.03	1.06
Gloucester	1.05	1.06	1.06
Hudson	1.03	1.05	1.09
Hunterdon	1.02	1.05	1.13
Mercer	1.01	1.02	1.04
Middlesex	1.00	1.01	1.03
Monmouth	1.00	1.01	1.02
Morris	1.01	1.03	1.06
Ocean	1.00	1.01	1.03
Passaic	1.00	1.02	1.05
Salem	1.02	1.03	1.03
Somerset	1.00	1.03	1.09
Sussex	1.03	1.04	1.07
Union	1.01	1.03	1.06
Warren	1.02	1.07	1.15

- D. Table 6: Future Precipitation Change Factors provided below sets forth the change factors to be used in determining the projected two-, 10-, and 100-year storm events for use in this chapter, which are organized alphabetically by county. The precipitation depth of the projected two-, 10-, and 100-year storm events of a site shall be determined by multiplying the precipitation depth of the two-, 10-, and 100-year storm events determined from the National Weather Service’s Atlas 14 Point Precipitation Frequency Estimates pursuant to (c)1 above, by the change factor in the table below, in accordance with the county or counties where the drainage area(s) of the site is located. Where the major development and/or its drainage area lies in more than one county, the precipitation values shall be adjusted according to the percentage of the drainage area in each county. Alternately, separate rainfall totals can be developed for each county using the values in the table below.

Table 6: Future Precipitation Change Factors

County	Future Precipitation Change Factors		
	2-year Design Storm	10-year Design Storm	100-year Design Storm
Atlantic	1.22	1.24	1.39
Bergen	1.20	1.23	1.37
Burlington	1.17	1.18	1.32
Camden	1.18	1.22	1.39
Cape May	1.21	1.24	1.32
Cumberland	1.20	1.21	1.39

Essex	1.19	1.22	1.33
Gloucester	1.19	1.23	1.41
Hudson	1.19	1.19	1.23
Hunterdon	1.19	1.23	1.42
Mercer	1.16	1.17	1.36
Middlesex	1.19	1.21	1.33
Monmouth	1.19	1.19	1.26
Morris	1.23	1.28	1.46
Ocean	1.18	1.19	1.24
Passaic	1.21	1.27	1.50
Salem	1.20	1.23	1.32
Somerset	1.19	1.24	1.48
Sussex	1.24	1.29	1.50
Union	1.20	1.23	1.35
Warren	1.20	1.25	1.37

Section VI. Sources for Technical Guidance:

A. Technical guidance for stormwater management measures can be found in the documents listed below, which are available to download from the Department’s website at:

<https://dep.nj.gov/stormwater/bmp-manual/>.

1. Guidelines for stormwater management measures are contained in the New Jersey Stormwater Best Management Practices Manual, as amended and supplemented. Information is provided on stormwater management measures such as, but not limited to, those listed in Tables 1, 2, and 3.
2. Additional maintenance guidance is available on the Department’s website at:

<https://dep.nj.gov/stormwater/maintenance-guidance/>.

B. Submissions required for review by the Department should be mailed to:

The Division of Watershed Protection and Restoration, New Jersey Department of Environmental Protection, Mail Code 501-02A, PO Box 420, Trenton, New Jersey 08625-0420.

Section VII. Solids and Floatable Materials Control Standards:

A. Site design features identified under Section IV.F above, or alternative designs in accordance with Section IV.G above, to prevent discharge of trash and debris from drainage systems shall comply with the following standard to control passage of solid and floatable materials through storm drain inlets. For purposes of this paragraph, “solid and floatable materials” means sediment, debris, trash, and other floating, suspended, or settleable solids. For exemptions to this standard see Section VII.A.2 below.

1. Design engineers shall use one of the following grates whenever they use a grate in pavement or another ground surface to collect stormwater from that surface into a storm drain or surface water body under that grate:
 - i. The New Jersey Department of Transportation (NJDOT) bicycle safe grate, which is described in Chapter 2.4 of the NJDOT Bicycle Compatible Roadways and Bikeways Planning and Design Guidelines; or
 - ii. A different grate, if each individual clear space in that grate has an area of no more than seven (7.0) square inches, or is no greater than 0.5 inches across the smallest dimension.

Examples of grates subject to this standard include grates in grate inlets, the grate portion (non-curb-opening portion) of combination inlets, grates on storm sewer manholes, ditch grates, trench grates, and grates of spacer bars in

slotted drains. Examples of ground surfaces include surfaces of roads (including bridges), driveways, parking areas, bikeways, plazas, sidewalks, lawns, fields, open channels, and stormwater system floors used to collect stormwater from the surface into a storm drain or surface water body.

- iii. For curb-opening inlets, including curb-opening inlets in combination inlets, the clear space in that curb opening, or each individual clear space if the curb opening has two or more clear spaces, shall have an area of no more than seven (7.0) square inches, or be no greater than two (2.0) inches across the smallest dimension.
2. The standard in A.1. above does not apply:
- i. Where each individual clear space in the curb opening in existing curb-opening inlet does not have an area of more than nine (9.0) square inches;
 - ii. Where the municipality agrees that the standards would cause inadequate hydraulic performance that could not practicably be overcome by using additional or larger storm drain inlets;
 - iii. Where flows from the water quality design storm as specified in N.J.A.C. 7:8 are conveyed through any device (e.g., end of pipe netting facility, manufactured treatment device, or a catch basin hood) that is designed, at a minimum, to prevent delivery of all solid and floatable materials that could not pass through one of the following:
 - a. A rectangular space four and five-eighths (4.625) inches long and one and one-half (1.5) inches wide (this option does not apply for outfall netting facilities); or
 - b. A bar screen having a bar spacing of 0.5 inches.

Note that these exemptions do not authorize any infringement of requirements in the Residential Site Improvement Standards for bicycle safe grates in new residential development (N.J.A.C. 5:21-4.18(b)2 and 7.4(b)1).

- iv. Where flows are conveyed through a trash rack that has parallel bars with one-inch (1 inch) spacing between the bars, to the elevation of the Water Quality Design Storm as specified in N.J.A.C. 7:8; or
- v. Where the New Jersey Department of Environmental Protection determines, pursuant to the New Jersey Register of Historic Places Rules at N.J.A.C. 7:4-7.2(c), that action to meet this standard is an undertaking that constitutes an encroachment or will damage or destroy the New Jersey Register listed historic property.

Section VIII. Safety Standards for Stormwater Management Basins:

- A. This section sets forth requirements to protect public safety through the proper design and operation of stormwater management basins. This section applies to any new stormwater management basins and/or BMPs.
- B. The provisions of this section are not intended to preempt more stringent municipal or county safety requirements for new or existing stormwater management basins and/or BMPs. Municipal and county stormwater management plans and ordinances may, pursuant to their authority, require existing stormwater management basins and/or BMPs to be retrofitted to meet one or more of the safety standards in Section VIII.C.1, VIII.C.2, and VIII.C.3 for trash racks, overflow grates, and escape provisions at outlet structures.
- C. Requirements for Trash Racks, Overflow Grates and Escape Provisions
 - 1. A trash rack is a device designed to catch trash and debris and prevent the clogging of outlet structures. Trash racks shall be installed at the intake to the outlet from the Stormwater management basin and/or BMPs to ensure proper functioning of the basin outlets in accordance with the following:
 - i. The trash rack shall have parallel bars, with no greater than six-inch spacing between the bars;
 - ii. The trash rack shall be designed so as not to adversely affect the hydraulic performance of the outlet pipe or structure;
 - iii. The average velocity of flow through a clean trash rack is not to exceed 2.5 feet per second under the full range of stage and discharge. Velocity is to be computed on the basis of the net area of opening through the rack; and


- iv. The trash rack shall be constructed of rigid, durable, and corrosion resistant material and designed to withstand a perpendicular live loading of 300 pounds per square foot.
2. An overflow grate is designed to prevent obstruction of the overflow structure. If an outlet structure has an overflow grate, such grate shall meet the following requirements:
 - i. The overflow grate shall be secured to the outlet structure but removable for emergencies and maintenance.
 - ii. The overflow grate spacing shall be no greater than two inches across the smallest dimension
 - iii. The overflow grate shall be constructed and installed to be rigid, durable, and corrosion resistant, and shall be designed to withstand a perpendicular live loading of 300 pounds per square foot.
3. Stormwater management basins and/or BMPs shall include escape provisions as follows:
 - i. If a stormwater management basins and/or BMPs has an outlet structure, escape provisions shall be incorporated in or on the structure. Escape provisions include the installation of permanent ladders, steps, rungs, or other features that provide easily accessible means of egress from stormwater management basins and/or BMPs. With the prior approval of the municipality pursuant to VIII.C, a free-standing outlet structure may be exempted from this requirement;
 - ii. Safety ledges shall be constructed on the slopes of all new stormwater management basins and/or BMPs having a permanent pool of water deeper than two and one-half feet. Safety ledges shall be comprised of two steps. Each step shall be four to six feet in width. One step shall be located approximately two and one-half feet below the permanent water surface, and the second step shall be located one to one and one-half feet above the permanent water surface. See VIII.E for an illustration of safety ledges in a stormwater management basin and/or BMP; and
 - iii. In new stormwater management basins and/or BMPs, the maximum interior slope for an earthen dam, embankment, or berm shall not be steeper than three horizontal to one vertical.

D. Variance or Exemption from Safety Standard

A variance or exemption from the safety standards for stormwater management basin and/or BMP may be granted only upon a written finding by the municipality that the variance or exemption will not constitute a threat to public safety.

E. Safety Ledge Illustration

Elevation View –Basin Safety Ledge Configuration



Section IX. Requirements for a Site Development Stormwater Plan:

A. Submission of Site Development Stormwater Plan

1. Whenever an applicant seeks municipal approval of a development subject to this ordinance, the applicant shall submit all of the required components of the Checklist for the Site Development Stormwater Plan at Section IX.C below as part of the submission of the application for approval.

2. The applicant shall demonstrate that the project meets the standards set forth in this ordinance.
3. The applicant shall submit the specified number of copies of the materials listed in the checklist for site development stormwater plans in accordance with Section IX.C of this ordinance.

B. Site Development Stormwater Plan Approval

The applicant's Site Development project shall be reviewed as a part of the review process by the municipal board or official from which municipal approval is sought. That municipal board or official shall consult the municipality's review engineer to determine if all of the checklist requirements have been satisfied and to determine if the project meets the standards set forth in this ordinance.

C. Submission of Site Development Stormwater Plan

The following information shall be required:

1. Topographic Base Map

The reviewing engineer may require upstream tributary drainage system information as necessary. It is recommended that the topographic base map of the site be submitted which extends a minimum of 200 feet beyond the limits of the proposed development, at a scale of 1"=200' or greater, showing 2-foot contour intervals. The map as appropriate may indicate the following: existing surface water drainage, shorelines, steep slopes, soils, erodible soils, perennial or intermittent streams that drain into or upstream of the Category One waters, wetlands and flood plains along with their appropriate buffer strips, marshlands and other wetlands, pervious or vegetative surfaces, existing man-made structures, roads, bearing and distances of property lines, and significant natural and manmade features not otherwise shown.

2. Environmental Site Analysis

A written and graphic description of the natural and man-made features of the site and its surroundings should be submitted. This description should include a discussion of soil conditions, slopes, wetlands, waterways and vegetation on the site. Particular attention should be given to unique, unusual, or environmentally sensitive features and to those that provide particular opportunities or constraints for development.

3. Project Description and Site Plans

A map (or maps) at the scale of the topographical base map indicating the location of existing and proposed buildings roads, parking areas, utilities, structural facilities for stormwater management and sediment control, and other permanent structures. The map(s) shall also clearly show areas where alterations will occur in the natural terrain and cover, including lawns and other landscaping, and seasonal high groundwater elevations. A written description of the site plan and justification for proposed changes in natural conditions shall also be provided.

4. Land Use Planning and Source Control Plan

This plan shall provide a demonstration of how the goals and standards of Sections III through V are being met. The focus of this plan shall be to describe how the site is being developed to meet the objective of controlling groundwater recharge, stormwater quality and stormwater quantity problems at the source by land management and source controls whenever possible.

5. Stormwater Management Facilities Map

The following information, illustrated on a map of the same scale as the topographic base map, shall be included:

- i. Total area to be disturbed, paved or built upon, proposed surface contours, land area to be occupied by the stormwater management facilities and the type of vegetation thereon, and details of the proposed plan to control and dispose of stormwater.

- ii. Details of all stormwater management facility designs, during and after construction, including discharge provisions, discharge capacity for each outlet at different levels of detention and emergency spillway provisions with maximum discharge capacity of each spillway.
- 6. Calculations
 - i. Comprehensive hydrologic and hydraulic design calculations for the pre-development and post-development conditions for the design storms specified in Section IV of this ordinance.
 - ii. When the proposed stormwater management control measures depend on the hydrologic properties of soils or require certain separation from the seasonal high water table, then a soils report shall be submitted. The soils report shall be based on onsite boring logs or soil pit profiles. The number and location of required soil borings or soil pits shall be determined based on what is needed to determine the suitability and distribution of soils present at the location of the control measure.

7. Maintenance and Repair Plan

The design and planning of the stormwater management facility shall meet the maintenance requirements of Section X.

8. Waiver from Submission Requirements

The municipal official or board reviewing an application under this ordinance may, in consultation with the municipality's review engineer, waive submission of any of the requirements in Section IX.C.1 through IX.C.6 of this ordinance when it can be demonstrated that the information requested is impossible to obtain or it would create a hardship on the applicant to obtain and its absence will not materially affect the review process.

Section X. Maintenance and Repair:

A. Applicability

Projects subject to review as in Section I.C of this ordinance shall comply with the requirements of Section X.B and X.C.

B. General Maintenance

- 1. The design engineer shall prepare a maintenance plan for the stormwater management measures incorporated into the design of a major development.
- 2. The maintenance plan shall contain specific preventative maintenance tasks and schedules; cost estimates, including estimated cost of sediment, debris, or trash removal; and the name, address, and telephone number of the person or persons responsible for preventative and corrective maintenance (including replacement). The plan shall contain information on BMP location, design, ownership, maintenance tasks and frequencies, and other details as specified in Chapter 8 of the NJ BMP Manual, as well as the tasks specific to the type of BMP, as described in the applicable chapter containing design specifics.
- 3. If the maintenance plan identifies a person other than the property owner (for example, a developer, a public agency or homeowners' association) as having the responsibility for maintenance, the plan shall include documentation of such person's or entity's agreement to assume this responsibility, or of the owner's obligation to dedicate a stormwater management facility to such person under an applicable ordinance or regulation.
- 4. Responsibility for maintenance shall not be assigned or transferred to the owner or tenant of an individual property in a residential development or project, unless such owner or tenant owns or leases the entire residential development or project. The individual property owner may be assigned incidental tasks, such as weeding of a green infrastructure BMP, provided the individual agrees to assume these tasks; however, the individual cannot be legally responsible for all of the maintenance required.
- 5. If the party responsible for maintenance identified under Section X.B.3 above is not a public agency, the maintenance plan and any future revisions based on Section X.B.7

below shall be recorded upon the deed of record for each property on which the maintenance described in the maintenance plan must be undertaken.

6. Preventative and corrective maintenance shall be performed to maintain the functional parameters (storage volume, infiltration rates, inflow/outflow capacity, etc.) of the stormwater management measure, including, but not limited to, repairs or replacement to the structure; removal of sediment, debris, or trash; restoration of eroded areas; snow and ice removal; fence repair or replacement; restoration of vegetation; and repair or replacement of non-vegetated linings.
7. The party responsible for maintenance identified under Section X.B.3 above shall perform all of the following requirements:
 - i. maintain a detailed log of all preventative and corrective maintenance for the structural stormwater management measures incorporated into the design of the development, including a record of all inspections and copies of all maintenance-related work orders;
 - ii. evaluate the effectiveness of the maintenance plan at least once per year and adjust the plan and the deed as needed; and
 - iii. retain and make available, upon request by any public entity with administrative, health, environmental, or safety authority over the site, the maintenance plan and the documentation required by Section X.B.6 and B.7 above.
8. The requirements of Section X.B.3 and B.4 do not apply to stormwater management facilities that are dedicated to and accepted by the municipality or another governmental agency, subject to all applicable municipal stormwater general permit conditions, as issued by the Department.

Note: It may be appropriate to delete requirements in the maintenance and repair plan that are not applicable if the ordinance requires the facility to be dedicated to the municipality. If the municipality does not want to take this responsibility, the ordinance should require the posting of a two year maintenance guarantee in accordance with N.J.S.A. 40:55D-53. Maintenance and inspection guidance can be found on the Department's website at:

<https://dep.nj.gov/stormwater/maintenance-guidance/>.

9. In the event that the stormwater management facility becomes a danger to public safety or public health, or if it is in need of maintenance or repair, the municipality shall so notify the responsible person in writing. Upon receipt of that notice, the responsible person shall have fourteen (14) days to effect maintenance and repair of the facility in a manner that is approved by the municipal engineer or his designee. The municipality, in its discretion, may extend the time allowed for effecting maintenance and repair for good cause. If the responsible person fails or refuses to perform such maintenance and repair, the municipality or County may immediately proceed to do so and shall bill the cost thereof to the responsible person. Nonpayment of such bill may result in a lien on the property.
- C. Nothing in this subsection shall preclude the municipality in which the major development is located from requiring the posting of a performance or maintenance guarantee in accordance with N.J.S.A. 40:55D-53

Section XI. Penalties:

Any person(s) who erects, constructs, alters, repairs, converts, maintains, or uses any building, structure or land in violation of this ordinance shall be subject to the following penalties as outlined in the Neptune Township General Code Section 1.5 – General Penalties.

Section XII. Severability:

Each section, subsection, sentence, clause and phrase of this Ordinance is declared to be an independent section, subsection, sentence, clause and phrase, and the finding or holding of any such portion of this Ordinance to be unconstitutional, void, or ineffective for any cause, or reason, shall not affect any other portion of this Ordinance.

Section XIII. Effective Date:

This Ordinance shall be in full force and effect from and after its adoption and any publication as required by law.

Ordinance 25-13 was Introduced on First reading on the following vote: AYE: Jones, Stroud, McMillan and Lane; NAY: none; ABSENT: York

CONSENT AGENDA

Mayor Lane asked if anyone member of the Committee wanted a separate vote on any of the resolutions. There were none.

Committeeman McMillan offered a motion to adopt the resolutions of the Consent Agenda, seconded by Committeeman Jones.

**RESOLUTION 25-181
AUTHORIZING THE PAYMENT OF BILLS**

BE IT RESOLVED, by the Township Committee of the Township of Neptune that the following bills be paid if properly certified:

April 21, 2025, BILL LIST

Current Fund	\$7,373,629.91
Grant Fund	\$11,129.42
Trust Other	\$19,221.07
General Capital	\$0.00
Sewer Operating Fund	\$41,748.74
Sewer Capital Fund	68,221.94
Marina Operating Fund	\$5,989.17
Marina Capital Fund	\$0.00
Dog Trust	\$0.00
Library Trust	\$184.42
UDAG Reciprocal Trust	\$0.00
Payroll Fund	\$170588.83
Bill List Total	\$7,690,713.50

BE IT FURTHER RESOLVED that a certified copy of this resolution be forwarded to the Assistant C.F.O.

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
Current Fund				
21 - A. R. COMMUNICATIONS	PO 39853 RADIO EQUIPMENT REPAIRS		170.00	
01-201-28-372-020 Senior Citizens Programs OE		170.00		170.00
70 - ADP, LLC	PO 39855 2025 PAYROLL SERVICES		2,402.88	
01-201-20-130-020 Financial Admin OE		2,402.88		2,402.88
5171 - ALL TRAFFIC SOLUTIONS	PO 40471 Mail PO to 3100 Research Dr. State Colle		708.65	
01-201-25-240-020 Police Department OE		708.65		708.65
146 - ALLIANCE COMMERCIAL PEST INC	PO 40130 PEST-MONTHLY SERVICE		225.00	
01-201-26-310-020 Buildings and Grounds OE		225.00		225.00
152 - ALLIED FIRE & SAFETY EQP INC.	PO 40312 Open PO for dry chem recharge, etc		194.00	
01-201-25-240-020 Police Department OE		194.00		194.00
10168 - ALLY BANK	PO 40030 Ally Bank PO Box 951 Horsham PA 19044		22.00	
01-201-25-240-020 Police Department OE		22.00		22.00
7805 - AMERICAN UNIFORM AND SUPPLY	PO 39878 2025 EMS Uniforms		2,376.71	
01-201-25-253-020 EMS OE		2,376.71		
	PO 40465 HI VIZ LIME SAFETY CAP CROSSING GUARD HA		239.70	
01-201-25-240-020 Police Department OE		239.70		2,616.41
10230 - AMROCK LLC - ESCROW ONE	PO 40430 Amrock, LLC - Escrow One, 662 Woodward A		4,894.93	
		4,894.93		4,894.93
8491 - AT&T MOBILITY	PO 40320 2025 CELL PHONE CHARGES		420.02	
01-201-31-440-020 Telephone OE		420.02		420.02
8348 - BLACK LAGOON POND MANAGEMENT	PO 40467 2025 POND MAINTENANCE WESLEY LAKE		150.00	
01-201-27-335-020 Environmental/Shade Tree Services OE		150.00		
	PO 40467 2025 POND MAINTENANCE WESLEY LAKE		1,768.00	
01-201-42-335-020 Interlocal -Wesley Lake		1,768.00		1,918.00
5868 - BRUNO'S PIZZA	PO 40216 Food for meetings, ie, Pastors welcome,		205.69	
01-201-25-240-020 Police Department OE		205.69		205.69
616 - CARLOS ENCARNACION	PO 39310 2024 MEDICARE PART B REIMBURSEMENT		2,096.40	
01-203-23-220-020 (2024) Employee Group Insurance OE		2,096.40		2,096.40
724 - CHERYL OTTEN	PO 40444 Reimbursement from Amazon purchase of 30		1,031.81	
01-295-55 RESERVE FOR STATE LIBRARY AID		1,031.81		1,031.81
9642 - CINTAS CORPORATION	PO 40089 2025 MEDICINE CABINET REFILLS		364.94	
01-201-20-100-020 General Admin OE		69.04		
01-201-22-195-020 Uniform Construction Code OE		70.12		
01-201-26-300-020 Other Public Works Functions OE		53.86		
01-201-20-165-020 Engineering Services OE		79.83		
01-201-25-240-020 Police Department OE		92.09		364.94

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
819 - COASTER 01-201-20-120-020 Municipal Clerk OE	PO 40410 Ord. 25-07	397.00	397.00	397.00
8363 - CONNELL CONSULTING LLC 01-201-25-240-020 Police Department OE	PO 40365 OPRA for professionals Bridge 4/15/25	159.00	159.00	159.00
6451 - CONSTELLIS, LLC 01-201-26-315-020 Public Works Vehicle Maintenance OE	PO 39808 2025 VEHICLE MAINTENANCE - CONTRACT	79,094.16	79,094.16	79,094.16
959 - DAN PIENCIAK 01-201-28-372-020 Senior Citizens Programs OE	PO 39896 TAI CHI CHIH CLASS INSTRUCTION	480.00	480.00	480.00
4918 - DENTAL SERVICES ORGANIZATION, INC. 01-201-23-220-020 Employee Group Insurance OE	PO 39689 2025 DENTAL PREMIUMS - 85A160	6,013.21	6,013.21	6,013.21
10225 - DRAKE UNIVERISTY 01-201-25-240-020 Police Department OE	PO 40356 Drake University The Ray Center 2507 Uni	320.00	320.00	320.00
7413 - DYNAMIC EARTH, LLC 01-203-20-165-020 (2024) Engineering Services OE	PO 39563 PROFESSIONAL ENVIRONMENTAL CONSULTING SE	4,500.00	4,500.00	4,500.00
8284 - EAST COAST EMERGENCY LIGHTING, INC. 01-201-25-240-020 Police Department OE	PO 40196 2020 present ford interceptor suv combin	636.00	636.00	636.00
8666 - EDWARD BRAKNA 01-201-28-372-020 Senior Citizens Programs OE	PO 39901 CERAMICS INSTRUCTION	1,260.00	1,260.00	1,260.00
9467 - EMS CONSULTING SERVICES 01-201-25-253-020 EMS OE	PO 39766 2025 EMS Billing	6,631.96	6,631.96	6,631.96
6233 - FOX ROTHSCHILD LLP 01-203-20-155-020 (2024) Legal Services OE	PO 38770 LEGAL COUNSEL TO REPRESENT FORMER POLICE	1,221.48	1,221.48	1,221.48
9274 - FUN EXPRESS LLC 01-201-29-390-020 Education Municipal Library OE	PO 39796 Crafts, party supplies and summer readin	36.99	36.99	36.99
1476 - GALLS, INC. 01-201-25-240-020 Police Department OE	PO 39688 PISM uniforms Grace, Phillips, Bascom	2,062.35	2,062.35	
01-201-25-240-020 Police Department OE	PO 40238 FlexFit proformance caps	1,674.00	1,674.00	3,736.35
309 - GANNETT NEW YORK-NEW JERSEY LOCAL I 01-201-20-120-020 Municipal Clerk OE	PO 40412 Revised 2025 Meeting Schedule	104.32	104.32	
01-201-20-120-020 Municipal Clerk OE	PO 40450 2025 Municipal Budget	350.00	350.00	454.32
9178 - GEESE CHASERS 01-201-27-335-020 Environmental/Shade Tree Services OE	PO 40202 2025 GEESE MANAGEMENT OF WESLEY LAKE	758.35	758.35	758.35

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
5076 - Gen-El Safety & Industrial Products	PO 39672 20-022-0617-000 Sensor, Oxygen , MicroRA		2,510.15	
01-203-42-341-020 (2024) Interlocal - TNSA - Special OPS		826.56		
01-203-42-340-020 (2024) Interlocal - Neptune FD Calibration		1,000.00		
01-203-44-997-020 (2024) Capital Outlay - Public Safety		683.59		2,510.15
1517 - GENE J. ANTHONY, ESQ.	PO 39778 2025 SPECIAL COUNSEL/RENT LEVELING BOARD		14,993.20	
01-201-20-155-020 Legal Services OE		14,993.20		14,993.20
9811 - GENERAL PLUMBING SUPPLY INC	PO 39736 Draw down for materials - plumbing repai		10.24	
01-201-28-375-020 Maintenance of Parks OE		10.24		
	PO 39736 Draw down for materials - plumbing repai		17.25	
01-201-28-375-020 Maintenance of Parks OE		17.25		27.49
7276 - GLENCO SUPPLY INC	PO 40297 Draw for Misc Sign and Paint Supplies		340.00	
01-201-26-290-020 Streets and Road Maintenance OE		340.00		340.00
6317 - HOME DEPOT CREDIT SERVICES	PO 39821 Drawdown for Supplies		26.20	
01-201-26-290-020 Streets and Road Maintenance OE		26.20		
	PO 39821 Drawdown for Supplies		513.59	
01-201-26-290-020 Streets and Road Maintenance OE		513.59		539.79
1812 - INGRAM BOOKS	PO 40304 Titles to be Vouchered		4,893.15	
01-201-29-390-020 Education Municipal Library OE		4,893.15		4,893.15
10232 - INK CREATIVE STRATEGIES	PO 40445 2025 PUBLIC RELATIONS FIRM		1,800.00	
01-201-30-412-020 Publicity & Tourism OE		1,800.00		1,800.00
5032 - Institute for Forensic Psychology	PO 40068 Psychological Evaluations - EMT		1,800.00	
01-201-20-105-020 Human Resources OE		1,800.00		1,800.00
1824 - INSTITUTE FOR PROFESSIONAL	PO 40403 MICHELE NARCISO - JUNE 4TH - AVOIDING TH		100.00	
01-201-20-145-020 Revenue Administration OE		100.00		100.00
1829 - INTERFAITH NEIGHBORS	PO 40377 FOOD SUPPLIES FOR MENS/WOMENS BREAKFAST/		240.00	
01-201-28-372-020 Senior Citizens Programs OE		240.00		240.00
5895 - J. RANDY BISHOP	PO 40105 REIMBURSE FOR MATERIALS AND SUPPLIES		27.99	
01-201-28-372-020 Senior Citizens Programs OE		27.99		27.99
1964 - JERSEY CENTRAL POWER & LIGHT	PO 39742 2025 STREET LIGHTING		1,018.88	
01-201-31-435-020 Street Lighting OE		1,018.88		1,018.88
1964 - JERSEY CENTRAL POWER & LIGHT	PO 39743 2025 ELECTRICITY CHARGES		10,428.44	
01-201-31-430-020 Electricity OE		10,428.44		10,428.44
6219 - JOSEPH FAZZIO WALL LLC	PO 39964 Rundown for Materials		12.74	
01-201-26-290-020 Streets and Road Maintenance OE		12.74		12.74
10026 - JULIAN F GORELLI ESQ	PO 40328 LEGAL SERVICES FOR MICHAEL O REID V NEPT		1,280.00	
01-201-20-155-020 Legal Services OE		1,280.00		1,280.00

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
2189 - KENCOR INC	PO 40364 2025 ELEVATOR MONTHLY MAINTENANCE		742.88	
01-201-26-310-020 Buildings and Grounds OE		742.88		742.88
10235 - KRISTA I NEWMAN	PO 40463 Krista I Newman & Andrew J Thomas, 428 M		1,869.63	
		1,869.63		1,869.63
2322 - LEON S. AVAKIAN, INC.	PO 40146 2025 GENERAL PLANNING		3,075.00	
01-201-20-165-020 Engineering Services OE		3,075.00		3,075.00
8632 - LIFE SUPPORT TRAINING	PO 39650 EMT Course for Volunteer Brody Timpone (2,500.00	
01-203-25-254-020 (2024) Volunteer Recruitment & Retention Prog		2,500.00		2,500.00
8549 - LINDSAY OKUSZKI	PO 39915 REIMBURSE FOR MISCELLANEOUS EXPRENSSES/SU		175.40	
01-201-28-372-020 Senior Citizens Programs OE		175.40		175.40
6243 - LYNN PEAVEY COMPANY	PO 40258 Heat seal evidence bags, basic fingerpri		628.83	
01-201-25-240-020 Police Department OE		628.83		628.83
8278 - MARAZITI FALCON LLP	PO 39962 2025 REDEVELOPMENT ATTORNEY PER RES 25-0		9,781.85	
01-201-20-155-020 Legal Services OE		9,781.85		9,781.85
10224 - MARK SAFRANKO	PO 40427 Writer's Workshop 2 hours		400.00	
01-295-55 RESERVE FOR STATE LIBRARY AID		400.00		400.00
5070 - Mauro Baldanza	PO 40432 2025 WILDFIRE TTX EVALUATOR		400.00	
01-201-25-252-020 Office of Emergency Management OE		400.00		400.00
7774 - MAZZA MULCH INC	PO 40399 Black Mulch		500.00	
01-201-28-375-020 Maintenance of Parks OE		500.00		
	PO 40399 Black Mulch		345.00	
01-201-28-375-020 Maintenance of Parks OE		345.00		
	PO 40399 Black Mulch		750.00	
01-201-28-375-020 Maintenance of Parks OE		750.00		1,595.00
9847 - METROPOLITAN LIFE INSURANCE COMPANY	PO 39788 2025 DISABILITY PREMIUMS - ACCOUNT 53862		875.33	
01-201-23-220-020 Employee Group Insurance OE		875.33		875.33
2624 - MGL PRINTING SOLUTIONS	PO 40340 WHITE TAX SALE CERTIFICATES		20.00	
01-201-20-145-020 Revenue Administration OE		20.00		
	PO 40359 11" Filler Sheet 250PK		338.00	
01-201-20-100-020 General Admin OE		338.00		358.00
10055 - MICHAEL CAMPBELL	PO 40408 2025 GOOSE GONTROL FLETCHER LAKE		1,250.00	
01-201-27-335-020 Environmental/Shade Tree Services OE		1,250.00		1,250.00
2644 - MICHAEL G. CELLI, JR.	PO 39773 2025 SPECIAL COUNSEL INCLUSIJVE OF TAX A		5,427.00	
01-201-20-155-020 Legal Services OE		5,427.00		
	PO 39774 2025 RCA/SHADE TREE ATTORNEY PER RES 25-		1,444.50	
01-201-20-155-020 Legal Services OE		1,444.50		6,871.50

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description		Account	PO Payment	Check Total
9519 - MODERN GROUP		PO 40120 TH Gen not serviced in years, control sc		4,676.04	
01-201-26-310-020 Buildings and Grounds	OE		4,676.04		4,676.04
10238 - MOISE CONTRANT		PO 40506 Moise Contrant & Robine Phillipe, 32 Blu		2,219.73	
			2,219.73		2,219.73
9989 - MONMOUTH MUNICIPAL JUDGES ASSOC		PO 40524 Annual Municipality Dues 2025		200.00	
01-201-43-490-020 Municipal Court	OE		200.00		200.00
2757 - MONMOUTH COUNTY TREASURER		PO 40177 B Taylor, Bartlett MOI 4/2-9/25		600.00	
01-201-25-240-020 Police Department	OE		600.00		600.00
10006 - MONMOUTH COUNTY TREASURER		PO 40414 2025 911 SHARED SERVICE FEE		460,073.00	
01-201-42-240-020 Interlocal - Police Department	OE		460,073.00		
		PO 40415 2025 CRS SHARED SERVICE FEE		1,875.00	
01-201-42-240-020 Interlocal - Police Department	OE		1,875.00		461,948.00
2907 - N J GRAVEL & SAND CO		PO 40100 Drawdown for landscape materials		143.36	
01-201-28-375-020 Maintenance of Parks	OE		143.36		143.36
8580 - NICOLE FRANCHINO		PO 39897 CHAIR YOGA INSTRUCTION		240.00	
01-201-28-372-020 Senior Citizens Programs	OE		240.00		
		PO 39898 BALANCE & FLEXIBILITY INSTRUCTION		420.00	
01-201-28-372-020 Senior Citizens Programs	OE		420.00		
		PO 39899 STANDING STRONG INSTRUCTION		480.00	
01-201-28-372-020 Senior Citizens Programs	OE		480.00		
		PO 39900 SHAPING UP/SITTING DOWN INSTRUCTION		420.00	
01-201-28-372-020 Senior Citizens Programs	OE		420.00		
		PO 40382 SHAPING UP/SITTING DOWN INSTRUCTION		360.00	
01-201-28-372-020 Senior Citizens Programs	OE		360.00		
		PO 40383 BALANCE & FLEXIBIITY INSTRUCTION		360.00	
01-201-28-372-020 Senior Citizens Programs	OE		360.00		2,280.00
10207 - NJ ASSOCIATION OF FORENSIC SCIENTISTS		PO 40245 NJ Assoc of Forensic Scientists PO Box 9		360.00	
01-201-25-240-020 Police Department	OE		360.00		360.00
10153 - NJ CRIME SCENE INVESTIGATORS ASSOC		PO 39943 Berardi 124th Spring NJSP CSI Course		2,450.00	
01-201-25-240-020 Police Department	OE		2,450.00		2,450.00
3161 - NJ NATURAL GAS		PO 39860 2025 CHARGES		10,965.92	
01-201-31-446-020 Natural Gas	OE		10,965.92		10,965.92
9563 - NJ STATE TREASURER		PO 40428 2025 Police Bicycle Patrol Course JJTA S		375.00	
01-201-25-240-020 Police Department	OE		375.00		
		PO 40429 2025 Police Bicycle Patrol Course JJTA S		375.00	
01-201-25-240-020 Police Department	OE		375.00		750.00
5938 - NJEMA		PO 40393 NJEMA 2025 EMERGENCY MANAGEMENT SYMPOSIU		340.00	
01-201-25-252-020 Office of Emergency Management	OE		340.00		340.00
5938 - NJEMA		PO 40552 NJCEM APPLICATION FEE - C LANGER		100.00	
01-201-25-252-020 Office of Emergency Management	OE		100.00		100.00

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor		Description	Account	PO Payment	Check Total
9521 - NJHIA		PO 40354 30th Annual Advanced Homicide Investigat		1,400.00	
01-201-25-240-020	Police Department OE		1,400.00		1,400.00
5360 - NJLM		PO 39673 Orientation for Municipal Officials That		130.00	
01-203-20-100-020	(2024) General Admin OE		130.00		130.00
5360 - NJLM		PO 40210 Job Posting - Construction Official		275.00	
01-201-20-105-020	Human Resources OE		275.00		275.00
5360 - NJLM		PO 40309 Job Posting - Township Administrator		275.00	
01-201-20-105-020	Human Resources OE		275.00		275.00
3227 - NJSACOP		PO 40201 Pre-Employment Background Investigations		598.00	
01-201-25-240-020	Police Department OE		598.00		
01-201-25-240-020	Police Department OE	PO 40346 NJ Internal Affairs Invest Program - Bal		449.00	
01-201-25-240-020	Police Department OE	PO 40347 Front Line Supervision Program 2025 NJSA		2,400.00	
01-201-25-240-020	Police Department OE	PO 40349 ABC Enforcement Techniques for Law Enfor		300.00	
01-201-25-240-020	Police Department OE		300.00		3,747.00
9964 - NRG BUSINESS MARKETING		PO 40092 2025 CHARGES		157.69	
01-201-31-446-020	Natural Gas OE		157.69		157.69
7438 - NW FINANCIAL GROUP, LLC		PO 39879 2024 FINANCIAL ADVISORY SERVICES		2,000.00	
01-203-20-130-020	(2024) Financial Admin OE		2,000.00		2,000.00
3289 - OCEAN GROVE CHAMBER OF COMMERCE		PO 40271 SUBLEASE FOR 39 PILGRIM PATHWAY TOURISM		5,550.00	
01-201-30-412-020	Publicity & Tourism OE		5,550.00		5,550.00
580 - OPTIMUM		PO 39780 2025 CHARGES		3,390.23	
01-201-31-450-020	Telecommunications Costs OE		3,390.23		3,390.23
9677 - PANGARO TRAINING AND MANAGEMENT		PO 40175 2-Day FTO Course 4/7-8/25 OCPA DePalma		299.00	
01-201-25-240-020	Police Department OE		299.00		299.00
1194 - PAYMENT PROCESSING CENTER		PO 40295 Rosetta Stone Database		2,717.00	
01-201-29-390-020	Education Municipal Library OE		2,717.00		2,717.00
3420 - PEDRONI FUEL CO.		PO 39760 2025 FUEL		22,779.76	
01-201-31-460-020	Gasoline OE		22,779.76		22,779.76
3511 - PREVENTION SPECIALISTS INC.		PO 40194 DOT Clearinghouse Service		225.00	
01-201-20-105-020	Human Resources OE		225.00		
01-201-20-105-020	Human Resources OE	PO 40209 NON DOT Drug Tests February 2025		584.00	
			584.00		809.00
9126 - READY REFRESH BY NESTLE		PO 39782 2025 WATER COOLER RENTALS		1,079.06	
01-201-26-310-020	Buildings and Grounds OE		1,079.06		1,079.06

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO	Payment	Check	Total
9302 - REMINGTON & VERNICK ENGINEERS I 01-201-20-165-020 Engineering Services OE	PO 39829 2025 INTERIM TOWNSHIP ENGINEER PER RES 2	24,900.50		24,900.50		24,900.50
10241 - ROBERT FUSCO 01-194-16-500 MRNA	PO 40522 REFUND	36.00		36.00		36.00
3832 - RUTGERS YOUTH SPORTS RESEARCH COUNC 01-201-28-370-020 Recreation Services and Programs OE	PO 40222 Coaches SAFETY Clinic registrations & ca	1,005.00		1,005.00		1,005.00
6039 - RUTGERS, THE STATE UNIVERSITY OF NJ 01-201-26-300-020 Other Public Works Functions OE	PO 40505 2025 NJ Clean Communities Certification	299.00		299.00		299.00
8256 - SCHENCK, PRICE, SMITH & KING LLP 01-203-20-155-020 (2024) Legal Services OE	PO 38664 DAVIS, GONZALEZ & SAVAGE	34.65		34.65		34.65
7533 - SHI INTERNATIONAL CORP 01-201-20-140-020 MIS OE	PO 40327 WASABI - RCS - OVERCHARGE	25.28		25.28		25.28
3989 - SHOPRITE 01-201-28-372-020 Senior Citizens Programs OE	PO 39883 FOOD SUPPLIES, PAPER GOODS, ETC.	30.97		30.97		30.97
3989 - SHOPRITE 01-201-28-372-020 Senior Citizens Programs OE	PO 40379 FOOD SUPPLIES, PAPER GOODS, ETC.	334.76		334.76		334.76
7864 - SHORE CUSTOMS 01-201-26-290-020 Streets and Road Maintenance OE	PO 40388 Labor remove wiring/relays for computer	1,620.00		1,620.00		1,620.00
4015 - SIGNS SEALED & DELIVERED 01-201-20-120-020 Municipal Clerk OE	PO 40442 2025 MAGNETIC SIGNS	225.00		225.00		225.00
10233 - SOUTHERN NJ CHAPTER OF THE 01-201-20-150-020 Tax Assessment Admin OE	PO 40447 Appraisal class for Dawn and George	90.00		90.00		90.00
9144 - SPLASH LAB EXPERIENCE 01-295-55 RESERVE FOR STATE LIBRARY AID	PO 40046 Five children's slime/painting/tie dyein	317.24		317.24		317.24
5676 - STAPLES BUSINESS ADVANTAGE 01-201-22-205-020 Mercantile Licensing OE	PO 39706 OFFICE SUPPLIES	147.11		147.11		
01-201-20-130-020 Financial Admin OE	PO 39864 2025 OFFICE SUPPLIES	617.34		669.67		
01-201-20-100-020 General Admin OE		52.33				816.78
7640 - STATE OF NJ TOXICOLOGY LABORATORY 01-203-25-240-020 (2024) Police Department OE	PO 38986 Drug testing, applicants, random, etc	1,035.00		1,035.00		1,035.00
4133 - STAVOLA ASPHALT CO 01-201-26-290-020 Streets and Road Maintenance OE	PO 39801 Draw for Asphalt	124.37		124.37		
01-201-26-290-020 Streets and Road Maintenance OE	PO 39801 Draw for Asphalt	584.67		584.67		
						709.04

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor			Description	Account	PO Payment	Check Total
9459 - STUCK UP STICKER COMPANY			PO 40407 full color printed vinyl decals std nept		281.60	
01-201-25-240-020	Police Department	OE		281.60		281.60
4951 - TEAM LIFE			PO 39851 2025 Team Life Supplies (AED Supplies)		100.00	
01-201-25-253-020	EMS	OE		100.00		100.00
9093 - TECHNA-PRO ELECTRIC, LLC			PO 40375 2025 STREET LIGHT REPAIRS		553.75	
01-201-31-435-020	Street Lighting	OE		553.75		553.75
7418 - TENA LAFPEY			PO 39895 FINE ARTS PAINTING AND CREATIVE EXPRESSI		500.00	
01-201-28-372-020	Senior Citizens Programs	OE		500.00		500.00
8478 - TERRESTRIAL IMAGING, LLC			PO 40411 QUOTE 9339-5782/9074		1,276.98	
01-201-42-247-020	Interlocal - ANSWER Team	OE		1,276.98		1,276.98
9389 - THREE PINES NURSERY			PO 40093 2025 BEAUTIFICATION PROJECT FOR THE WAR		500.00	
01-201-28-375-020	Maintenance of Parks	OE		500.00		500.00
4465 - TREASURER, STATE OF NEW JERSEY			PO 40510 2025 SOLID WASTE ECONOMIC REGULATION - N		600.00	
01-201-26-305-020	Solid Waste Collection	OE		600.00		600.00
4465 - TREASURER, STATE OF NEW JERSEY			PO 40511 2025 SITE REMEDIATION PERMIT FEE MIDTOWN		575.00	
01-201-28-375-020	Maintenance of Parks	OE		575.00		575.00
9446 - TRITON TRAINING GROUP LLC			PO 40373 AR15/M4 Armorer Course Taylor, Maher, Gu		1,200.00	
01-201-25-240-020	Police Department	OE		1,200.00		1,200.00
5112 - UPS			PO 39859 2025 CHARGES		40.76	
01-201-20-130-020	Financial Admin	OE		40.76		40.76
9963 - VERIZON			PO 39781 2025 charges		72.34	
01-201-31-450-020	Telecommunications Costs	OE		72.34		72.34
9221 - VERIZON			PO 40094 2025 GPS CHARGES		360.05	
01-201-31-450-020	Telecommunications Costs	OE		360.05		360.05
4604 - VERIZON WIRELESS			PO 39857 2025 CELL PHONE CHARGES		7,542.99	
01-201-31-440-020	Telephone	OE		7,542.99		7,542.99
5436 - VIRTUAL F/X			PO 40179 Repair graphics to patrol car #23		125.00	
01-201-25-240-020	Police Department	OE		125.00		125.00
6248 - VISUAL COMPUTER SOLUTIONS, INC.			PO 40348 VCS Evolution Exchange Conference June 1		747.00	
01-201-25-240-020	Police Department	OE		747.00		747.00
4886 - W.B. MASON CO. INC.			PO 40049 office supplies: binders, pens, labels,		416.10	
01-201-27-330-020	Public Health Services	OE		416.10		
			PO 40169 General Office Supplies, ink, pens, pape		377.67	
01-201-25-240-020	Police Department	OE		377.67		

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor			Description	Account	PO Payment	Check Total
01-201-20-100-020	General Admin	OE	PO 40274 Office Supplies		222.54	
				222.54		
01-201-28-372-020	Senior Citizens Programs	OE	PO 40326 OFFICE SUPPLIES		863.16	
				863.16		
01-201-28-372-020	Senior Citizens Programs	OE	PO 40326 OFFICE SUPPLIES		25.44	
				25.44		
01-201-25-240-020	Police Department	OE	PO 40420 General Office supplies, ie, pens, paper		206.16	
				206.16		
01-201-25-240-020	Police Department	OE	PO 40420 General Office supplies, ie, pens, paper		387.77	
				387.77		
01-201-20-120-020	Municipal Clerk	OE	PO 40514 Avery Diamond Clear Secure Top Sheet Pro		95.20	
				95.20	2,594.04	
01-201-28-372-020	Senior Citizens Programs	OE	PO 39886 COFFEE, COCOA, TEA & SUPPLIES		235.28	
				235.28	235.28	
01-201-25-252-020	Office of Emergency Management	OE	PO 40106 2025 NJEPA CONFERENCE REIMBURSEMENT - ME		107.96	
				107.96	107.96	
01-201-25-240-020	Police Department	OE	PO 39798 Removal of 3 Panasonic in car 4000 camer		600.00	
				600.00	600.00	
Grant Fund						
02-213-41-748-020	FY Edward Byrne Memorial JAG		PO 40471 Mail PO to 3100 Research Dr. State Colle		18,657.00	
				18,657.00	18,657.00	
02-213-41-711-600	Community Awareness & Events		PO 38955 Reimbursement for event supplies		249.25	
				244.15		
				5.10	249.25	
02-213-41-808-020	NJDCA Sunshine Village Improvement Grant		PO 40298 SAND SILT DRAINAGE		43,500.00	
				43,500.00	43,500.00	
02-213-41-711-600	Community Awareness & Events		PO 40402 Fish Stocking Permit Fee for stocking Ha		2.00	
				2.00	2.00	
02-213-41-711-020	MUNICIPAL ALLIANCE GRANT		PO 40555 Partial payment for Neptune's Fly With a		300.00	
				300.00	300.00	
02-213-41-711-600	Community Awareness & Events	MUNICIPAL ALLIANCE GRANT	PO 40433 60 Cops vs Kids Basketball Shirts with s		631.50	
				56.50		
				575.00	631.50	
TRUST OTHER						
8630 - BERNADETTE SHERMAN			PO 40401 Veterans Memorial Park Committee Dinner/		379.62	
				379.62	379.62	
8732 - CAPTUREPOINT			PO 40133 Annual Subscription for Online Program R		3,300.00	
				3,300.00	3,300.00	
6245 - CME ASSOCIATES			PO 38506 AFFORDABLE HOUSING ADMINISTRATIVE ASSIST		877.50	

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
		877.50		877.50
10172 - DONNA HARGADON	PO 40104 ZB24/16 - BOARD ATTORNEY - HARGADON BLOC	178.00	178.00	178.00
10206 - HAROLD DALEY VFW POST 1333	PO 40257 Ad journal submission for VFW Centennial	100.00	100.00	100.00
2319 - INKWELL GLOBAL MARKETING	PO 40360 P800 11X15 Rosewood Plaque with cast bro	273.00	273.00	273.00
8278 - MARAZITI FALCON LLP 03-299-55-16 Reserve For Municipal Escrow	PO 39962 2025 REDEVELOPMENT ATTORNEY PER RES 25-0	17,367.20	17,367.20	17,367.20
9424 - NEPTUNE JOINT VETERANS PARADE COMMITTEE	PO 40358 Full Page ad for the Memorial Day Parade	125.00	125.00	125.00
3227 - NJSACOP	PO 40292 Registration for NJSACOP June 23-26, 202	465.00	465.00	465.00
10086 - PENS.COM	PO 40098 ENGRAVED LOUIE MAGNETIC FLASHLIGHT KEYCH	441.94	441.94	441.94
3495 - POSITIVE PROMOTIONS INC	PO 40099 PER QUOTE #00390595	1,726.39	1,726.39	1,726.39
9660 - SPRING LAKE MANOR	PO 39935 VOLUNTEER APPRECIATION LUNCHEON - TUESDA	382.00	382.00	382.00
4122 - STATE OF NJ DEPT OF LABOR	PO 39837 1ST QTR 2024	1,199.92	1,199.92	1,199.92
10234 - WOODBRIDGE TOWNSHIP FIRE DIST NO 4	PO 40464 CARGO TRUCK	2,500.00	2,500.00	2,500.00
General Capital				
783 - CIVIL SOLUTIONS 04-215-55-921-020 Ord 23-24 2023 Road Improv Program	PO 37136 ENGINEERING SERVICES FOR THE 2023 ROAD I	10,150.00	10,150.00	10,150.00
6245 - CME ASSOCIATES 04-215-55-974-020 Ord 18-06/21-14 Imp to JB Road	PO 32002 As per resolution of award 20-339/ Copy	614.11	614.11	
04-215-55-923-020 Ord 24-06 Atkins Ave Pedestrian Improvements	PO 38200 PROFESSIONAL SERVICES RELATED TO 2024 N	222.50		836.61
9999 - CURRENT ELEVATOR TECHNOLOGY 04-215-55-960-020 Ord 23-44 Various ADA Improvements Munic Comp	PO 38505 ELEVATOR MODERNIZATION PER RES 24-216 NO	78,791.00	157,904.46	
04-215-55-960-020 Ord 23-44 Various ADA Improvements Munic Comp		79,113.46		157,904.46
1037 - DELL COMPUTERS	PO 40322 QUOTES 3000186267295.2, 3000186266852.1,		70,645.17	

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
04-215-55-932-020	Ord 24-24 Munic Tech Improv & Sec Upgrad	70,645.17		70,645.17
9482 - INTEGRITY ELECTRIC INC	PO 39092 ELECTRICAL WORK FOR INSTALLATION OF HAND		998.50	
04-215-55-918-020	Ord 22-32 Improvements Various Municipal Faci	998.50		998.50
7967 - P & A CONSTRUCTION	PO 38768 2023 ROAD IMPROVEMENT PROGRAM PER RES 24		29,916.57	
04-215-55-921-020	Ord 23-24 2023 Road Improv Program	29,916.57		29,916.57
4735 - WILENTZ, GOLDMAN & SPITZER	PO 40451 PREP OF BOND ORD		19,233.40	
04-215-55-915-020	Ord 23-13/23-10/22-23 Electric Garbage Truck	3,805.08		
04-215-55-917-020	Ord 22-31 Acquisition Vehicles & Equipment	1,902.54		
04-215-55-916-020	Ord 22-30 2022 Road Program	208.00		
04-215-55-925-020	Ord 22-07 Neptune Blvd Roadway	1,902.54		
04-215-55-933-020	Ord 24-25 Acquis of Vehicles & Equipment	1,902.54		
04-215-55-959-020	Ord 23-25 Var Improv Bert Willis Fields	1,902.54		
04-215-55-921-020	Ord 23-24 2023 Road Improv Program	1,902.54		
04-215-55-927-020	Ord 23-28 Improvements to Var Parks	1,902.54		
04-215-55-956-020	Ord 23-27 Var Imp to Munic Complex	1,902.54		
04-215-55-920-020	Ord 22-35/22-47 Welsh Farms Site Remediation	1,902.54		19,233.40
Sewer Operating Fund				
783 - CIVIL SOLUTIONS	PO 35075 ENGINEERING SERVICES RELATING TO NORTH I		1,943.50	
07-201-55-501-020	Utility Operating OE	1,943.50		1,943.50
6451 - CONSTELLIS, LLC	PO 39808 2025 VEHICLE MAINTENANCE - CONTRACT		43,514.52	
07-201-55-501-020	Utility Operating OE	43,514.52		43,514.52
1606 - GRAINGERS	PO 40564 Air Release valve Item #5LYL0		979.35	
07-201-55-501-020	Utility Operating OE	979.35		979.35
1824 - INSTITUTE FOR PROFESSIONAL	PO 40403 MICHELE NARCISO - JUNE 4TH - AVOIDING TH		50.00	
07-201-55-501-020	Utility Operating OE	50.00		50.00
2624 - MGL PRINTING SOLUTIONS	PO 40340 WHITE TAX SALE CERTIFICATES		320.00	
07-201-55-501-020	Utility Operating OE	320.00		320.00
5932 - ONE CALL CONCEPTS INC	PO 39834 One call messages for 2025		416.10	
07-201-55-501-020	Utility Operating OE	416.10		416.10
9126 - READY REFRESH BY NESTLE	PO 39782 2025 WATER COOLER RENTALS		23.59	
07-201-55-501-020	Utility Operating OE	23.59		23.59
5676 - STAPLES BUSINESS ADVANTAGE	PO 39706 OFFICE SUPPLIES		283.81	
07-201-55-501-020	Utility Operating OE	283.81		283.81
4420 - TWP OF NEPTUNE SEWERAGE AUTHORITY	PO 40220 1ST QUARTER 2025 BILLING		944,889.75	
07-201-55-505-020	TNSA Annual Charge	944,889.75		944,889.75
4572 - USA BLUE BOOK	PO 40477 Reinforced leather gloves		1,435.70	
07-201-55-501-020	Utility Operating OE	1,435.70		1,435.70

List of Bills - (All Funds)

Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025

Vendor	Description	Account	PO Payment	Check Total
8083 - WEST MARINE PRO	PO 40484 Riptide 40/SC/T Trolling Motor 30" Shaft		268.79	
07-201-55-501-020 Utility Operating OE		268.79		268.79
4735 - WILENTZ, GOLDMAN & SPITZER	PO 40451 PREP OF BOND ORD		9,509.26	
07-203-55-501-020 (2024) Utility Operating OE		9,509.26		9,509.26
Sewer Capital Fund				
783 - CIVIL SOLUTIONS	PO 35075 ENGINEERING SERVICES RELATING TO NORTH I		4,307.50	
08-215-55-583-020 Ord 22-36 Riley Rd Pump Station Storage Facil		4,307.50		4,307.50
1181 - EARLE ASPHALT COMPANY	PO 38201 9TH AVENUE SEWER REHABILITATION AND REP		43,012.53	
08-215-55-582-020 Ord 22-34 2022 Bradley Park Sewer Replacement		43,012.53		43,012.53
4735 - WILENTZ, GOLDMAN & SPITZER	PO 40451 PREP OF BOND ORD		1,600.00	
08-215-55-579-020 Ord 22-14 Sixth Ave Sewer Replacement		400.00		
08-215-55-582-020 Ord 22-34 2022 Bradley Park Sewer Replacement		400.00		
08-215-55-575-020 Ord 23-14/21-32 Phase II Sewer Utility PW Fac		400.00		
08-215-55-576-020 Ord 23-26 Wells Brook Sewer Easement		400.00		1,600.00
Marina Operating Fund				
10205 - BUTTS TICKET SYSTEMS	PO 40230 FLOWBIRD CWT S4+ CREDIT/DEBIT READER		8,496.75	
09-201-55-512-020 Capital Outlay		8,496.75		8,496.75
7401 - KELLY ELECTRIC	PO 39981 Electrical Switch Replacement		125.00	
09-201-55-501-020 Utility Operating OE		125.00		125.00
2492 - MARINE TRADES ASSOCIATION	PO 40418 04/01/2025 - 03/31/2026 MEMBERSHIP DUES		395.00	
09-201-55-501-020 Utility Operating OE		395.00		395.00
10204 - NICK GATARZ	PO 40229 REFUND DOCKAGE FEES PER RES 25-146		600.00	
09-192-08-000 Revenue CAFR Total		600.00		600.00
3922 - SEABOARD WELDING	PO 40417 INSPECTION FIRE EXTINGUISHERS		1,291.00	
09-201-55-501-020 Utility Operating OE		1,291.00		1,291.00
DOG TRUST				
9434 - DR CARMEN LORENZO VMD	PO 40535 Dr. Lorenzon VMD, License Veternarian fo		450.00	
		450.00		450.00
3128 - NJ DEPT OF HEALTH AND SENIOR SERVIC	PO 39700 MONTHLY DOG LICENSE - DEC 2024		4.20	
		4.20		4.20
Library Trust				
3066 - NEW JERSEY LIBRARY ASSOC	PO 40313 Annual NJLA Membership Dues		150.00	
		150.00		150.00

List of Bills - (All Funds)				
Meeting Date: 05/12/2025 For bills from 04/22/2025 to 05/07/2025				
Vendor	Description	Account	PO Payment	Check Total
TOTAL				2,221,044.94
Total to be paid from Fund 01 Current Fund	774,638.56			
Total to be paid from Fund 02 Grant Fund	63,339.75			
Total to be paid from Fund 03 TRUST OTHER	29,315.57			
Total to be paid from Fund 04 General Capital	289,684.71			
Total to be paid from Fund 07 Sewer Operating Fund	1,003,634.37			
Total to be paid from Fund 08 Sewer Capital Fund	48,920.03			
Total to be paid from Fund 09 Marina Operating Fund	10,907.75			
Total to be paid from Fund 12 DOG TRUST	454.20			
Total to be paid from Fund 29 Library Trust	150.00			

	2,221,044.94			
Checks Previously Disbursed				
42825	TOWNSHIP OF NEPTUNE	Cash MARINA OPERATING	6,071.77	4/30/2025
42825	TOWNSHIP OF NEPTUNE	Cash GENERAL	856,043.21	4/30/2025
42825	TOWNSHIP OF NEPTUNE	Cash SEWER OPERATING	19,364.20	4/30/2025
42825	TOWNSHIP OF NEPTUNE	Cash FEDERAL AND STATE GRANTS	9,792.41	4/30/2025
120000025	HORIZON BLUE CROSS BLUE SHIELD NJ	PO# 39686 Dental Premiums acct# 493434495	6,928.44	4/30/2025

			898,200.03	
Totals by fund	Previous Checks/Voids	Current Payments	Total	
-----	-----	-----	-----	
Fund 01 Current Fund	862,971.65	774,638.56	1,637,610.21	
Fund 02 Grant Fund	9,792.41	63,339.75	73,132.16	
Fund 03 TRUST OTHER		29,315.57	29,315.57	
Fund 04 General Capital		289,684.71	289,684.71	
Fund 07 Sewer Operating Fund	19,364.20	1,003,634.37	1,022,998.57	
Fund 08 Sewer Capital Fund		48,920.03	48,920.03	
Fund 09 Marina Operating Fund	6,071.77	10,907.75	16,979.52	
Fund 12 DOG TRUST		454.20	454.20	
Fund 29 Library Trust		150.00	150.00	
-----	-----	-----	-----	
BILLS LIST TOTALS	898,200.03	2,221,044.94	3,119,244.97	
			=====	

RESOLUTION 25-182
AUTHORIZE AN OPEN PUBLIC RECORDS – RECORDS INFORMATION MANAGEMENT
SHARED SERVICES AGREEMENT WITH THE COUNTY OF MONMOUTH

WHEREAS, under the New Jersey Uniform Shared Services and Consolidation Act, namely C. 40A:65-1, *et seq.*, local units, such as the County of Monmouth and this Municipality, may enter into shared services agreements with each other; and

WHEREAS, the County of Monmouth has entered into an agreement with Sunrise Systems, Inc. (“Sunrise”), whereby the County is licensed to access and use Sunrise’s web-based system known as the Open Public Records Search System – Records Information Management (“OPRS-RIM”); and

WHEREAS, under the terms of its agreement with Sunrise, the County of Monmouth may sublicense access and use of OPRS-RIM to municipalities within Monmouth County; and

WHEREAS, the County of Monmouth, has offered to enter into a shared services agreement with this Municipality, whereby this Municipality will be authorized as a sublicensee to access and use OPRS-RIM,

WHEREAS, the OPRS-RIM provides for the Inventory Management, Retention Management, and Disposition Management of official records and includes an imaging module that permits the scanning of paper records into TIFF images, which may be stored long-term, searched and retrieved electronically; and,

WHEREAS, the Township of Neptune has participated in this shared service with the County of Monmouth since 2009 and desires to renew this initiative for another five year term; and,

WHEREAS, funds for this purpose are available in the 2025 municipal budget in the appropriation entitled Municipal Clerk O.E. and the Chief Financial Officer has so certified in writing,

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune

that the Mayor and Municipal Clerk be and they are hereby authorized to enter into a Shared Services Agreement with the County of Monmouth for a Open Public Records Search System – Records Information Management at an annual cost to the Township of Neptune of \$3,500.00 for a period of five years commencing July 1, 2024 and expiring June 30, 2029; and,

BE IT FURTHER RESOLVED, that a certified copy of this resolution be forwarded to the County of Monmouth with the executed agreement, Chief Financial Officer and Assistant C.F.O.

RESOLUTION 25-183
A RESOLUTION TO AMEND THE TIME, DATE AND PLACE OF THE TOWNSHIP COMMITTEE’S REGULAR AND WORKSHOP MEETINGS DURING THE YEAR 2025

WHEREAS, an Act of the legislature known as the “Open Public Meetings Act,” enacted October 21, 1975, requires that advance notice be given on all regularly scheduled Agenda and Regular Meetings of the Township Committee of the Township of Neptune, and;

WHEREAS, The Township Committee will host a workshop meeting prior to every regularly scheduled Public Business Meeting. The agenda meeting will begin at 6:00PM, the Public Business Meeting will follow the conclusion of the workshop meeting but start no earlier than 7:00PM at Neptune Township Municipal Building, 25 Neptune Blvd. Neptune, NJ 07753.

WHEREAS, the Township Committee is desirous to amend the schedule adopted and advertised pursuant to the Open Public Meetings Act.

NOW, THEREFORE, BE IT RESOLVED, by the Mayor and Township Committee of the Township of Neptune, County of Monmouth, State of New Jersey, that the regular Agenda and regular public business meetings of the Township Committee during the year 2025 be held in accordance with the below revised schedule set forth in the Notice of Meetings annexed hereto and made a part hereof.

Township Committee Meetings		
Day	Date	Time
Monday	May 12, 2025	6:00PM
Thursday	May 29, 2025	6:00PM
Monday	June 9, 2025	6:00PM
Monday	June 23, 2025	6:00PM
Monday	July 14, 2025	6:00PM
Monday	August 11, 2025	6:00PM
Monday	September 8, 2025	6:00PM
Monday	September 22, 2025	6:00PM
Thursday	October 16, 2025	6:00PM
Monday	October 27, 2025	6:00PM
Monday	November 10, 2025	6:00PM
Monday	November 24, 2025	6:00PM
Monday	December 8, 2025	6:00PM
Monday	December 22, 2025	6:00PM
Thursday	January 1, 2026	11:55AM

RESOLUTION 25-184
AUTHORIZING SUMMER HOURS FOR EMPLOYEES OF NEPTUNE TOWNSHIP

WHEREAS, traditionally, the Township of Neptune has accommodated its employees by providing summer hours, which allow employees to leave early on Fridays during the summer; and

WHEREAS, the intent of the Township Committee to continue the summer schedule as previously approved in prior years, and would like to reestablish summer hours from May 19, 2025 to Labor Day, September 1, 2025.

NOW, THEREFORE, BE IT RESOLVED, by the Mayor and Township Committee of the Township of Neptune, County of Monmouth and State of New Jersey, that the governing body hereby authorizes summer hours as follows:

1. All Neptune Township Public Works employees shall work, Monday through Thursday from 6:30 am – 3:00 pm, working through employee’s lunch period during those days, and working on Fridays from 6:30 am to 12 noon.

2. All other Neptune Township employees shall work Monday through Thursday from 8 am - 4 pm and give up one-half of employee's lunch period during the aforesaid days, and working on Fridays from 8 am to 1 pm.
3. This schedule change is in accordance with Section 9-3.4 of the Code of the Township of Neptune, and is subject to employee waiver of notice requirements of Section 9-3.4b&c.

BE IT FURTHER RESOLVED, the schedule is temporary for the summer months beginning May 19, 2025 and ending on Labor Day, or September 1, 2025, with work hours going back to the normal work hours beginning September 2, 2025; unless superseded by a new Resolution adopted by the Township Committee of the Township of Neptune.

RESOLUTION 25-185

A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE APPOINTING RESPONSIBLE CHARGE FOR FEDERAL TRANSPORTATION GRANT PROGRAM

WHEREAS, it is necessary for the Township of Neptune to appoint a qualified individual as Responsible Charge for Federal Transportation Grant Program; and

WHEREAS, Nicole Schnurr has been determined to be a qualified individual to serve as Responsible Charge; and

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune that the Nicole Schnurr is hereby appointed as the Responsible Charge for Federal Transportation Grant Program.

RESOLUTION 25-186

APPOINT COMMUNITY DEVELOPMENT REPRESENTATIVES

BE IT RESOLVED, by the Township Committee of the Township of Neptune that Stephanie Oppegaard be and is hereby appointed Community Development Representative of the Township of Neptune for the year 2025; and,

BE IT FURTHER RESOLVED, that Nicole Schnurr is hereby appointed as the Alternate Community Development Representative; and,

BE IT FURTHER RESOLVED, that a certified copy of this resolution be forwarded to the Monmouth County Office of Community Development.

RESOLUTION 25-187

RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE AUTHORIZING EXTENSION OF BID AWARD FOR FLEET MAINTENANCE TO CENTERRA INTEGRATED SERVICES, LLC

WHEREAS, on May 10, 2021, the Township Committee adopted Resolution #21-193 which awarded a bid for Fleet Management and Maintenance with Centerra Integrated Services, LLC from July 1, 2021 through June 30, 2024; and,

WHEREAS, the Township Committee adopted Resolution 24-273 on June 10, 2024 to approve the first 1-year- extension of this contract; and

WHEREAS, the Purchasing Agent recommends that the bid be extended for a second and final 1-year extension as permitted by the Open Public Contracts Law and the option in the specifications.

NOW, THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that:

1. The extension to the bid award to Centerra Integrated Services, LLC for the

contract related to Fleet Management and Maintenance for July 1, 2025-June 30, 2026, for \$972,658.16 annual Target Cost is hereby awarded.

- 2. All Township officials, including, but not limited to, the Mayor, Business Administrator, and Municipal Clerk are hereby authorized and directed to take such ministerial actions as are necessary to effectuate the provisions of this resolution.
- 3. That a certified copy of this resolution be forwarded to the Business Administrator, Chief Financial Officer and Qualified Purchasing Agent.

RESOLUTION 25-188
AUTHORIZE CHANGE ORDER #1 (FINAL) IN CONNECTION WITH THE
BRADLEY PARK SEWER REPLACEMENT PROJECT

WHEREAS, on March 12, 2024, 2018, the Township Committee adopted Resolution 24-152 which awarded a bid to Earle Asphalt Company in the amount of \$977,652.94 for the 9th Ave. Sewer Rehabilitation and Repaving Project; and,

WHEREAS, a change to the contract has been experienced as a result of final as-built quantities at project close-out; and,

WHEREAS, this change has been approved by the Township Engineer,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that the Mayor and Clerk be and are hereby authorized to execute Change Order #1 (final) in the contract with Earle Asphalt Company in connection with the 9th Ave. Sewer Rehabilitation and Repaving Project resulting in a net decrease of \$325,740.69 revising the total contract amount to \$651,912.25; and,

BE IT FURTHER RESOLVED, that a copy of this resolution be forwarded to the Contractor, Chief Financial Officer; Assistant C.F.O. and Township Engineer.

RESOLUTION 25-189
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE ACCEPTING
RESIGNATIONS

WHEREAS, the Human Resources Director has received notification from employee(s) that they will be resigning their position; and,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that the resignation(s) of noted below are hereby accepted.

<u>NAME</u>	<u>DEPARTMENT</u>	<u>POSITION</u>	<u>DATE OF NOTIFICATION</u>	<u>EFFECTIVE DATE OF RESIGNATION</u>
Ashley Neptune	Vital Statistics	CSR Vital	4/14/2025	4/18/2025
Frank Doremus	Marina	Marina Attendant	4/09/2025	4/30/2025

BE IT FURTHER RESOLVED, that a copy of this resolution be forwarded to the respective departments, Business Administrator and Human Resources Director.

RESOLUTION 24-190
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE
AUTHORIZING THE PUBLIC AUCTION SALE OF VARIOUS SURPLUS ITEMS DEEMED
UNNECESSARY FOR MUNICIPAL OPERATION

WHEREAS, there are vehicles and equipment owned by the Township of Neptune which are no longer of use to the Township and the Director of Public Works, Purchasing Agent and Business Administrator have recommended that they be sold; and,

WHEREAS, the Township of Neptune will auction said vehicles through an on-line auction in compliance with state rules and regulations for a period of three days; and,

WHEREAS, the Municipal Clerk shall provide proper advertisement and notice in accordance with state statute in addition to posting the auction information on the Township’s web site; and,

WHEREAS, said vehicles and trailers to be sold are as follows:

Year	Truck #	Make	Model	Description	Vin/Serial Number
2000		New Hol	555E	Backhoe	31027682
2000	Food Truck	Freightliner	UNK	Food Truck	4UZA3NT29YCF82775
2001	445	Int	2654 6x4	Tandem W/ salter and plow	1HTGADT41H377843
2001	608	CHEV	S10	PICKUP	1GCDT19W018201583
2004	610	FORD	RANGER	PICKUP	1FTZR45E340PA36822
2004	611	FORD	RANGER	PICKUP	1FTZR45EX4PA36820
2004	427	INT	7400	SINGLE AXLE W/ SALT& PLOW	1HTWDAAR14J019645
2008		CHEV	IMPALA		2G1WB58K989206130
2009		DODGE	DURANGO		1D8HB38P99F712552
2006	609	FORD	EXPLORER		1FMEW72EX6UB13818
2007	852	CHEV	SUBURBAN		3GNGK26K17G275838
2011		CHEV	TAHOE		1GNGK2E08BR238515
2012		CHEV	IMPALA		2G1WA54E38C1215375
2012		CHEV	IMPALA		2G1WAQ5E39C1198425
2013		CHEV	TAHOE		1GN5K2E02DR257824
2014	405	GLOBAL	M3	STREET SWEEPER	1G9GM3HJ8ES462048
2014		JEEP	PATRIOT		1C4NJRBBXED756666
2014		JEEP	PATRIOT		1C4NJRBB8ED756665
2015	34-2-56	FORD	E-SERIES	AMBULANCE BODY	1FDXE4F52FDDA08971
UNK		UNK	5 TON	5TON 6X6 TRUCK	23/03585
1989	54-1-91	SUTPHEN		LADDER FIRE TRUCK	159A3KFE2K1003626
1986	54-3-76	PIERCE	ARROW	FIRE TRUCK	1P9CA01DXGA040348
2017		FORD	EXPLORER		1FM5K8AR8HGE15321
2018		FORD	EXPLORER		1FM5K8AR0KGA12554
UNK		HOTSY		HOT PRESSURE WASHER	11090770-101466
UNK		WESTERN		HTS ULTRA FINSH	
UNK		BOSS		BOSS SNOWPLOW	
UNK		WESTERN		ULTRA FINISH	
UNK		WESTERN		WESTERN PLOW	
UNK		WESTERN		WESTERN PLOW	
UNK		WESTERN		WESTERN PRO PLUS UNLTRA FINISH	
2005		WB	RCP	NIGHTSCAN RCP BY WB	5-15-158/168
UNK		SALTDogg		325GAL ANTI ICE TANK	
UNK				6 MISC YARDAGE CANISTERS	
UNK		Gledhill		2 Gledhill plow frames	
2008		Ford	F-350	F-350 Flatbed	1FTWX33RX8EE05010
2013	34-9-99	CHEV	TAHOE		1GNSK2E03DR211192
2004	403	UD	1400	HUSKY STREET SWEEPER	JNAUZU1384A355085
2009	443	INT	Workstar	Tandem W/ salter and plow	1HTWPAAT09J194074
2006	607	FORD	F-250	PICKUP	1FTSF21PX6ED26642
2004		FORD	F-350	RACKBODY	1FDWW37P44EC19819
2018		FORD	EXPLORER		1FM5K8AR9KGA12553

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune as

follows:

1. That the above listed vehicles are declared as surplus and not needed for public use,
2. That the execution of a contract with USGovBid/Auction Liquidation Services to provide on-line auction services at a commission rate of 6.5% is hereby approved,
3. That the sale of the above vehicles is hereby authorized through an on-line auction at www.usgovbid.com from Saturday, May 3, 2025 at 9:00AM to Tuesday, May 6, 2025 at 7:00 p.m. Additional details will be provided in the required legal advertisement and on the Township web site,
4. That the said vehicles and equipment are being offered "as is - where is" without any reserve prices;
5. The township reserves the right to reject all bids if it determines the sale is not in the best interests of the Township
5. That should any vehicle be unsuccessfully sold at auction, disposal of such vehicle is hereby authorized in accordance with state law,

BE IT FURTHER RESOLVED, that a copy of this resolution be forwarded to the Purchasing Agent, Chief Financial Officer, and Director of Public Works.

RESOLUTION 25-191

A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE SUPPORTING THE SUBMISSION OF APPLICATION FOR MONMOUTH COUNTY SUMMER YOUTH WORK EXPERIENCE PROGRAM GRANT

WHEREAS, the Director of Recreation is requesting authorization from the Township Committee to submit an application to Monmouth County for the Summer Youth Work Experience Program Grant, and;

WHEREAS, The Director of Recreation wishes to utilize this grant to employ youths between the ages of 16-25 in our Summer Recreation programs, and;

WHEREAS, the Township of Neptune is seeking to apply for a maximum grant amount of \$51,000.00 to cover the wages of up to 15 youths.

NOW, THEREFORE BE IT RESOLVED, by the Township Committee of the Township of Neptune that:

1. The Township Committee supports the submission of an application to Monmouth County for the Summer Youth Work Experience Program Grant.
2. All Township officials, including, but not limited to, the Mayor, Business Administrator, Recreation Director, and Municipal Clerk are hereby authorized and directed to take such ministerial actions as are necessary to effectuate the provisions of this resolution.

A certified copy of this resolution be forwarded to the Recreation Director and Chief Financial Officer.

RESOLUTION 25-192

A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE GRANTING PERMISSION FOR CLOSURE OF ROAD IN RELATION TO JUNETEENTH CELEBRATION ON JUNE 21, 2025

WHEREAS, A request to the Mayor and Township Committee of the Township of Neptune requesting permission to close West Lake Ave between Rt. 35 and Drummond Ave on June 21 from 9 a.m. to 2 p.m. for Juneteenth Celebration, and;

WHEREAS, The Township Clerk with consultation from the Business Administrator, Chief Financial Officer and Police Department have found this activity to be allowable, and;

WHEREAS, any necessary licenses or inspections that may be required for any activities occurring during such event by State Law or Local ordinance must be applied for and obtained prior to the event, and;

BE IT RESOLVED, by the Township Committee of the Township of Neptune, County of Monmouth, State of New Jersey that permission be granted close West Lake Ave. between Route 35 and Drummond Ave. from 9:00AM to 2:00PM on June 21, 2025.

BE IT FURTHER RESOLVED, that all Township Officials, including, but not limited to the Mayor, Business Administrator and Township Clerk are hereby authorized and directed to take such ministerial actions as are necessary to effectuate the provisions of this resolution.

RESOLUTION 25-193

A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE CO-SPONSORING THE THIRD ANNUAL JUNETEENTH CELEBRATION

WHEREAS, it is desirous of the Neptune Township to co-sponsor the Fourth Annual Juneteenth Celebration event scheduled for June 21, 2025, and;

WHEREAS, to assist with the event, the Township of Neptune will provide:

- Use and Access of Midtown Commons Park
- Providing and clearing of receptacles for trash and recycling
- Assignment of sufficient officers as determined by the Chief of Police
- Use and Access of Area in front of Municipal Building
- Providing barricades for road closures

NOW THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that

1. Permission for the event detailed above be granted and the host(s) are notified of requirements to comply with all rules and regulations regarding the activities intended to occur.
2. All licenses, permits and inspections that may be necessary to host such an event must be procured by the event organizer. This includes, but is not limited to games of chance, permits associated with Alcoholic Beverage Control, health inspection, fire inspection and mercantile registrations.
3. Fees associated with the labor required by the Township will be waived.

RESOLUTION 25-194

RESOLUTION AUTHORIZING DEVELOPER'S AGREEMENT WITH THE TOWNSHIP OF NEPTUNE AND K HOVNANIAN'S COUNTRY WOODS, LLC AND CW NEPTUNE, LLC, LOCATED AT JUMPING BROOK ROAD AND TEE PLACE, BLOCK 3101, LOT 1, NEPTUNE TOWNSHIP, NEW JERSEY.

WHEREAS, RMH at Country Woods, LLC ("RMH"), received Preliminary and Final Subdivision Approval by the Neptune Township Planning Board, as set forth in Resolution #23-09 (the "Approval") for the property located at Jumping Brook Road and Tee Place, formally known as Block 3101, Lot 1 on the Tax Map of the Township of Neptune (the "Property"); and

WHEREAS, the Approval will create a thirty-two (32) lot subdivision, with thirty-one (31) single-family homes, and one (1) open space lot with related improvements; and

WHEREAS, K. Hovnanian's Country Woods at Neptune, LLC ("Hovnanian") is the contract purchase of the Property from RMH, and will be the developer responsible for constructing and selling the residential homes within the development to be known as Country Woods at Neptune; and

WHEREAS, CW Neptune, LLC ("CW") is the developer responsible for the site improvement and lot development for Country Woods at Neptune; and

WHEREAS, Hovnanian and CW have agreed to enter into a Developer's Agreement with the Township of Neptune to guarantee the faithful performance of the obligations and representations associated with the Approval from the Planning Board of Neptune Township; and

WHEREAS, it is in the best interest of the citizens of the Township of Neptune for the Township to enter this Developer's Agreement with Hovnanian and CW, to ensure the proper compliance and guaranteed performance of items and improvements made on said Property.

NOW, THEREFORE, BE IT RESOLVED, by the Mayor and Township Committee of the Township of Neptune, County of Monmouth and State of New Jersey:

1. The Mayor and Clerk are hereby authorized to execute the aforesaid Developer's Agreement with Hovnanian and CW, a true copy of which is attached hereto as Exhibit "A" for compliance with the Planning Board of Neptune Township's Resolution #23-09, and representation upon submission and approval of all conditions arising from the aforesaid Resolution, and return the same to the Township Attorney for recording in the Clerk's office of Monmouth County.
2. The Business Administrator and Staff of the Township of Neptune are hereby authorized and directed to take all actions as shall be deemed necessary or desirable to implement this Resolution.
3. This Resolution shall be effective immediately.

RESOLUTION 25-195
EXTEND OFFER OF EMPLOYMENT FOR THE POSITION OF DRIVER
IN THE DEPARTMENT OF PUBLIC WORKS

WHEREAS, there is a vacancy in the position of Driver in the Public Works Department; and,

WHEREAS, the position was duly posted and applicants have been interviewed and the Human Resources Director and Public Works Director have made their recommendation; and,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that an offer of employment be and is hereby extended to Michael Rode for the position of Full-time Conditional Class A Driver in the Department of Public Works with 90 days to complete training and obtain a CDL-A License or be terminated on the 91st day contingent upon favorable results of the required pre-employment testing; and,

BE IT FURTHER RESOLVED that his salary will be \$35,000.00 annually effective April 28, 2025, increasing to \$45,000.00 when he obtains his CDL-A license, on a probationary basis for a period of not less than 90 days; and,

BE IT FURTHER RESOLVED, that a copy of this resolution be forwarded to the Public Works Director, Chief Financial Officer, Assistant C.F.O., AFSCME Local #2792, and Human Resources Director.

RESOLUTION 25-196
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE
AUTHORIZING CERTAIN PERSONNEL ACTIONS

WHEREAS, the following appointments have been reviewed by the Department Heads of the respective Departments; and,

WHEREAS, the Human Resources Director in consultation with the Township Administrator and the Department Heads involved have recommended the appointments of

the following individuals; and,

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune that the following personnel actions be and are hereby authorized on the effective date included herein.

<u>NAME</u>	<u>DEPARTMENT</u>	<u>POSITION</u>	<u>SALARY</u>	<u>EFFECTIVE DATE</u>
Ava Johnson	Department of Code & Construction	Customer Service Representative	\$30,139.38	4/28/2025
Gregory Cummings	Department of Code & Construction	PT Plumbing Inspector	\$38.40 per hour (not to exceed 28 hrs per week)	4/22/2025
Gregory Cummings	Department of Code & Construction	Per Diem Plumbing Sub-Code Official	\$48.70 per hour (in absence of Twp. Plumbing Subcode Official)	4/22/2025
Joseph Wooley	Department of Code & Construction	Per Diem Plumbing Inspector	\$38.40 per hour	4/22/2025
Linda Montagna	Department of Code & Construction	Per Diem Technical Assistant	\$25.00 per hour (Not to exceed 60 hrs per week)	4/22/2025

RESOLUTION 25-197
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE
AUTHORIZING CERTAIN PERSONNEL ACTIONS- RECLASSIFICATION

WHEREAS, the following re-classifications have been reviewed by the Department Heads of the respective Departments; and,

WHEREAS, the Human Resources Director in consultation with the Township Administrator and the Department Heads involved have recommended the Reclassification of the following individuals; and,

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune that the following personnel actions be and are hereby authorized on the effective date included herein.

<u>NAME</u>	<u>DEPT</u>	<u>PREVIOUS POSITION</u>	<u>RECLASSIFICATION</u>	<u>SALARY</u>	<u>EFFECTIVE DATE</u>
Don Clare	Code & Construction	Electrical Sub-Code Official & Asst Director of Code and Construction	Acting Construction Official and Acting Director of Code and Construction	\$140,000.00	4/22/2025
Don Clare	Code & Construction	Electrical Sub-Code Official & Asst Director of Code and Construction	Construction Official and Director of Code and Construction	\$140,000.00	6/1/2025
Ashleigh Curtis	Human Resources	Departmental Secretary	HR Specialist	\$65,000.00	4/22/25
Michele Narciso	Tax Collection	Deputy Tax Collector	Acting Tax Collector	\$140,000.00	5/1/25
Michele Narciso	Tax Collection	Deputy Tax Collector	Tax Collector	\$140,000.00	7/1/25 (Term expires 12/31/2029)
Melanie Manning	Tax Collection	Accountant Assistant	Deputy Tax Collector	\$72,500.00	5/1/25
Kelly Waldron	Public Works	CSR	Departmental Secretary	\$35,793.75	4/22/2025

RESOLUTION 25-198
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE
AUTHORIZING CERTAIN PERSONNEL ACTIONS- RECREATION

WHEREAS, the Recreation Department is desirous to appoint directors for its 2025 Summer Camp program; and

WHEREAS, the Township Administrator concurs with the findings of the Department Head and hereby recommends to the Township Committee that the following appointments be made.

NOW, THEREFORE BE IT RESOLVED, by the Township Committee of the Township of Neptune that the following personnel actions be and are hereby authorized on the effective date included herein.

<u>NAME</u>	<u>DEPT. POSITION</u>	<u>SALARY</u>	<u>EFFECTIVE DATE</u>
Danielle Manzoni	Camp Co-Director	\$25.00/ hour	4/22/2025
Jessica Ford	Camp Co-Director	\$25.00/ hour	4/22/2025

RESOLUTION 25-199
A RESOLUTION OF THE TOWNSHIP COMMITTEE OF THE TOWNSHIP OF NEPTUNE APPOINTING AN ACTING CHIEF FINANCIAL OFFICER

WHEREAS, Chief Financial Officer Michael Bascom is retiring effective July 1, 2025; and,
WHEREAS, there is a need for an Acting Chief Financial Officer effective May 1, 2025; and,
WHEREAS, Nicole Schnurr is serving as the Assistant Chief Financial Officer.

NOW, THEREFORE, BE IT RESOLVED by the Township Committee of the Township of Neptune that Nicole Schnurr be appointed Acting Chief Financial Officer effective May 1, 2025.

RESOLUTION 25-200
AUTHORIZE THE EXECUTION OF A SUCCESSOR COLLECTIVE BARGAINING AGREEMENT WITH AFSCME LOCAL #1844

WHEREAS, the Collective Bargaining Agreement between the Township of Neptune and AFSCME Local #1844 expire on December 31, 2024; and,
WHEREAS, representatives from the bargaining unit and the Township of Neptune engaged in negotiations to develop a Successor Collective Bargaining Agreement; and,
WHEREAS, an agreement has been reached and a Memorandum of Understanding has been endorsed by the bargaining unit and Township; and,
WHEREAS, final execution of the agreement is contingent upon ratification by the full membership of AFSCME Local #1844,
THEREFORE, BE IT RESOLVED, that the Township Committee of the Township of Neptune hereby authorizes the execution of a Successor Collective Bargaining Agreement, a copy of which is on file with the Municipal Clerk, which details the terms and conditions of employment for the term January 1, 2025 through December 31, 2028 with AFSCME Local #1844, contingent upon ratification by the full membership of the bargaining unit; and,
BE IT FURTHER RESOLVED, that a copy of this resolution be forwarded to the Business Administrator, Chief Financial Officer, Human Resources Director and the President of AFSCME Local #1844.

RESOLUTION 25-201
AUTHORIZE THE EXECUTION OF EMPLOYMENT AGREEMENTS WITH EMPLOYEES NOT REPRESENTED BY A TOWNSHIP BARGAINING UNIT

WHEREAS, additionally, there are currently ten (10) job titles in the Township of Neptune that are classified as confidential and not represented by a Township bargaining unit that are covered by individual Employment Agreements; and,

WHEREAS, the Employment Agreements for employees holding these job titles expired on December 31, 2024 and the Township has prepared a successor Employment Agreement for each confidential employee,

THEREFORE, BE IT RESOLVED, by the Township Committee of the Township of Neptune that the Mayor and Clerk be and are hereby authorized to execute an Employment Agreement for each employee holding a confidential job title; all agreements on file in the Office of the Municipal Clerk; defining terms and conditions of employment for the term January 1, 2025 through December 31, 2028; and,

BE IT FURTHER RESOLVED, that a copy of this resolution along with an executed copy of the appropriate agreement be forwarded to each non-bargaining unit employee, Chief Financial Officer, Assistant C.F.O. and Human Resources Director.

The resolution was adopted on the following vote: AYE: Jones, Stroud, McMillan and Lane, Nay: None, ABSTAIN: None; ABSENT: York

PRIVILEGE OF THE FLOOR/PUBLIC COMMENTS

Mayor Lane asked for public comments. The public was permitted to speak one time with a limit of five minutes. Comments were as follows:

Randy Bishop, Senior Center Director – Mr. Bishop thanked Mr. Bascom for his service to the township. Mr. Bishop stated it has been a pleasure to serve alongside Mr. Bascom and praised his work during disaster recoveries.

Rich Williams, 1 Abbott Ave. – Mr. Williams thanked the township for the benches at the pickleball courts. Mr. Williams stated the township should open the gates at Wesley Lake. Committeeman Stroud stated he will have topic placed on an upcoming workshop agenda for discussion.

Dan Mueller, 236 Hillside Drive – Mr. Mueller stated 401 Overlook Drive had another party over the weekend and what is the township going to do to address the issues. Ms. Park stated the township cannot comment but it is taking asking and will have more information at the next meeting.

Paul Kaplan, 81 Mt. Zion Way – Mr. Kaplan stated the Ocean Grove Community Association will host DPW Director Melvin Fitzpatrick speak.

Mayor Lane closed public comments.

CLOSING COMMITTEE COMMENTS

Mayor Lane asked if anyone on the Committee wanted to make closing remarks.

Committeeman Jones – Not at this time.

Committeeman Stroud – Not at this time.

Committeeman McMillan – Thanked Mr. Bascom for his help finding funding for special projects and wished him a great retirement.

Mayor Lane – Thanked Mr. Bascom for his hard work and concern for the community.

Mayor Lane was offered a motion to adjourn from Committeeman Stroud, seconded by Committeeman Jones. The Motion was adopted by unanimous voice vote by all members present.

The Township Committee adjourned at 8:36 p.m.

William Bray, RMC, CMR
Township Clerk
Submitted, May 12, 2025