


SHORE POINT ARCHITECTURE, PA

Cut-sheets for HPC CoA Application

SPA Project #: 2021-22 Barkhorn (17 Webb)

Date	Revision / Submission
12/9/21	HPC Submission (Initial Release)

Front Door:



108 South Main Street Ocean Grove, NJ 07756
P: 732. 774.6900 F: 732.774.7250

Side Doors:

FRENCHWOOD® HINGED INSWING PATIO DOORS

FEATURES

FRAME

- ① The sill is made with three-piece construction. The sill is made of Fibrex® material, and the sill stop is solid oak. The exterior sill member is made of extruded aluminum with an attractive wear-resistant, heat-treated finish in neutral gray. This combination of materials combines durability and low maintenance with excellent insulating characteristics.
- ② All basic exterior frame members are fiberglass-reinforced composites, which maintain an attractive appearance while minimizing maintenance.
- ③ The exterior frame members are attached to a water-resistant pressure-treated wood subframe for long-lasting protection and performance. The subframe is grooved to accept exterior panels.

PANEL

- ④ Panel exterior surfaces are unfinished pine veneer. Unfinished maple or oak veneers are available as options. Low-maintenance finished white interiors are also available.
- ⑤ Hinged inswing operating panels are left-hand active, right-hand active or two-panel active-passive (jamb hinged).

HARDWARE OPTIONS

Sold Separately



HARDWARE FINISHES



*See andersenwindows.com/hardware for details.
 **PSB style 112 is not available in black-anodized aluminum.
 FSB® is a registered trademark of Franz Schneider Braket GmbH & Co. Matching hinges are available for inswing patio doors.

150

Mortise-and-Tenon Joints



GLASS

- ⑥ In addition to stainless steel glass spacers, black or white glass spacers are now available to allow the spacer to blend in with the unit color.
- ⑦ Panels are silicone bed glazed and sealed with an interior wood stop.

EXTERIOR & INTERIOR OPTIONS

EXTERIOR COLORS	INTERIOR OPTIONS	Naturally occurring variations in grain, color and texture of wood make each member one of a kind. All wood interiors are unfinished unless a finish is specified. Finishing instructions govern most regulations of colors and finishes. See your Andersen supplier for actual color and finish samples.
White	Pine	
Sandstone	Maple	
Tanstone	Oak	
Forest Green	White	

- ⑧ High-Performance options include:
 - Low-E4® tempered glass
 - Low-E4 HeatSoak® tempered glass
 - Low-E4 SmartSun® tempered glass
 - Low-E4 Sun-HeatSoak® tempered glass
- Additional glass options are available. Contact your Andersen supplier.
- A removable translucent film helps shield the glass from damage during delivery and construction, and simplifies loading at the job site.
- Patterned glass options are available. See page 12 for more details.



400 SERIES

ACCESSORIES

Sold Separately

FRAME

Interior Extension Jamb
 Standard jamb depth is 4 1/2" (114). Pine, maple and oak veneers, or unfinished white extension jamb are available in 1 1/2" (38) increments between 5 1/2" (129) and 7 1/2" (181). Interior extension jamb on inswing units will restore the full opening of the door.

Exterior Extension Jamb

Exterior extension jamb system is available for the following wall thicknesses: 5 1/2" (138), 6 1/2" (167) and 7 1/2" (192). In walls over 4 1/2" (114), the exterior all-weather door and exterior extension jamb system allows the unit to be installed flush to the interior, so the hinged doors will open flat against the interior wall. Color matched to the exterior of the finished unit, this system provides a low-maintenance, finished exterior appearance. An extended double-insect screen track is available for jamb-hinged doors that require gliding insect screens. Exterior extension jamb kit is one available with or without the double insect screen track.

Threshold

A maple or oak threshold is available for finishing the interior of the sill.

Ramped Sill Insert

Ramped sill in maple or oak provides smooth transition from interior to exterior. Ramped sill cannot be used with insect screens. Check with local and federal officials to determine if product meets accessibility codes. Shown with a Frenchwood® gliding patio door.

Sill Support

An aluminum sill support is designed to lock into a channel under the sill and tie the sill into the wall. This offers support to the exterior sill section when needed. Available in a neutral gray finish.

HARDWARE

Exterior Keyed Lock

A six-pin key cylinder lock is available in styles and finishes that coordinate with the hardware. This lock allows the hinged patio door to be locked and unlocked from the exterior.

Handle Extension

Extends interior door handle an additional 1" (25) from the door interior panel to accommodate blinds or shades. Kit includes one handle extension and spindle.

Strike Plate Extensions

Bright brass, antique brass, polished chrome, oil rubbed bronze, brushed chrome and satin nickel strike plate extensions are available for the following thicknesses: 5 1/2" (133), 6 1/2" (167), 7 1/2" (181) and 7 3/4" (192).

Construction Lock

This hardware can be used on all Andersen® hinged doors to help secure the structure during the construction phase of the project. It features an undrilled extruded aluminum plate, which makes on-site leveling easier.

Panel Stop

This hinged door panel stop helps prevent wall damage when opening the inswing door. Available in finishes that coordinate with the hardware.

GLASS

Andersen® Art Glass

Andersen art glass panels come in a variety of original patterns. Available for stationary panels, sidelights and transoms. See art glass section starting on page 173 for more information or visit andersenwindows.com/artglass.

INSECT SCREENS

All insect screens have a long-lasting fiberglass screen mesh with a charcoal finish, and frames are color matched to the exterior of the door unless otherwise specified.

Gliding Insect Screen

Available for all two- and three-panel doors. Features Delrin® molded injection molded bottom rollers with self-contained leveling adjusters.

Double-Insect Screen Track

A double insect screen track is required for two-panel active-passive or passive-active doors. Gliding insect screens are not available for 4" (102) wide doors.

Hinged Insect Screens

An extended insect screen track is required for two-panel active-passive or passive-active hinged doors that use gliding insect screens.

Grilles

Available in a variety of configurations and widths. See page 155.

EXTERIOR TRIM

Available with Andersen exterior trim. See exterior trim section starting on page 127.

SIDELIGHTS & TRANSOMS

Andersen Frenchwood patio door sidelights and transoms feature elegant lines that match our Frenchwood hinged patio doors. See pages 150-152 for details.

CAUTION

• Painting and staining may cause damage to gelcoat.
 • Do not paint 400 Series patio doors in white, cream, sandstone, dark bronze, forest green or black exterior colors. See page 143 for a complete list of painting, staining and refinishing instructions.

CAUTION

Andersen patio doors are not intended for use as entrance doors. Dimensions in parentheses are in millimeters.

400 Series Frenchwood® Hinged Inswing Patio Doors

151

Asphalt Shingles:



We protect what matters most®

Roofing Shingles

All Products

For Homeowners

For Pros

About GAF



Roofing Products Residential Roofing Products Shingles Timberline® Roofing Shingles Architectural Timberline® HDZ™



Timberline® HDZ™ Shingles

The look people know and love, now featuring LayerLock™ Technology



SEE ALL COLORS >

Showing products available near 07712 CHANGE >

★★★★★ 4.8 (15182) WRITE A REVIEW

FIND A CONTRACTOR

108 South Main Street Ocean Grove, NJ 07756
 P: 732.774.6900 F: 732.774.7250

Siding:

SidingTrimSoffitHardieWrap®Finishing Touches

● HardiePlank® Lap SidingHardiePanel® Vertical SidingHardieShingle® Siding

HardiePlank®


Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.

HardieTrim® 5/8 x 3.5 in. Arctic White

HardiePlank® 6.25 in. Smooth Arctic White

A classic look for
THE HOME OF THEIR DREAMS.

JamesHardie
Siding | Trim


ABOUT JAMES HARDIE

PRODUCTS

COLOR

SidingTrimSoffitHardieWrap®Finishing Touches

● HardiePlank® Lap SidingHardiePanel® Vertical SidingHardieShingle® Siding



SMOOTH
Countrylane Red

Thickness5/16 in.

Length12 ft. planks

Width5.25 in. 6.25 in. 7.25 in. 8.25 in.


Exposure4 in. 5 in. 6 in. 7 in.

ColorPlus Pcs./Pallet324 280 252 210


Prime Pcs./Pallet360 308 252 230

Pcs./Sq.25.0 20.0 16.7 14.3

Available Colors



View all HardiePlank Lap Siding Products

JamesHardie
Siding | Trim

ABOUT JAMES HARDIE

PRODUCTS

COLOR

Columns:



Round **PERMA**Cast® Columns

ROUND PERMACAST® COLUMN DIMENSIONS (IN INCHES)*

COL. SIZE	A	B	C	D	E	F	G	I	K	L	O	N	R	T	LENGTHS AVAILABLE (ft.)
6"	5 1/4"	4 1/4"	9"	1 1/4"	1 1/4"	3/4"	3/4"	1 1/4"	1 1/4"	8"	1"	6 1/4"	3 1/4"	4 1/4"	4, 6, 8
8"	7 1/4"	6 1/4"	10 1/4"	1 1/4"	1 1/4"	3/4"	3/4"	1 1/4"	1 1/4"	9 1/4"	1 1/4"	2 1/4"	4 1/4"	4 1/4"	5, 6, 8, 10
10"	9 1/4"	8 1/4"	13 1/4"	2 1/4"	2 1/4"	3/4"	3/4"	1 1/4"	1 1/4"	11 1/4"	3/4"	2 1/4"	5 1/4"	5"	6, 8, 10, 12
12"	11 1/4"	9 1/4"	16 1/4"	2 1/4"	2 1/4"	3/4"	3/4"	1 1/4"	2 1/4"	13 1/4"	3/4"	2 1/4"	6 1/4"	5 1/4"	6, 8, 10, 12, 14
14"	13 1/4"	11 1/4"	19 1/4"	3 1/4"	3 1/4"	1 1/4"	3/4"	2"	2 1/4"	17"	3/4"	2 1/4"	7 1/4"	7"	8, 9, 10, 12, 14, 16, 18
16"	15 1/4"	13 1/4"	22 1/4"	4"	3 1/4"	1 1/4"	1"	2 1/4"	3"	19 1/4"	1"	3"	8 1/4"	8"	10, 12, 14, 16, 18, 20
18"	17 1/4"	15 1/4"	24 1/4"	4"	4"	1 1/4"	1 1/4"	2 1/4"	3 1/4"	22 1/4"	1 1/4"	10 1/4"	9 1/4"	8 1/4"	10, 12, 14, 16, 18, 20, 22, 24, 26
20"	19 1/4"	17 1/4"	27"	4 1/4"	4 1/4"	2"	1 1/4"	2 1/4"	3 1/4"	24 1/4"	1 1/4"	10 1/4"	11 1/4"	9"	10, 12, 14, 16, 18, 20, 22, 24
22"	21 1/4"	19 1/4"	30 1/4"	5 1/4"	4 1/4"	2"	1 1/4"	3"	3 1/4"	27 1/4"	1 1/4"	10 1/4"	12 1/4"	10 1/4"	10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
24"	23 1/4"	21 1/4"	33 1/4"	5 1/4"	5 1/4"	2 1/4"	2 1/4"	3 1/4"	4 1/4"	30 1/4"	1 1/4"	10 1/4"	13 1/4"	11 1/4"	12, 14, 16, 18, 20, 22, 24, 26, 28, 30
28"	28"	24 1/4"	38"	6 1/4"	6"	2 1/4"	2 1/4"	3 1/4"	4 1/4"	33 1/4"	1 1/4"	10 1/4"	15 1/4"	11 1/4"	20, 22, 24, 26, 28, 30
30"	29 1/4"	26 1/4"	41 1/4"	6 1/4"	5 1/4"	2 1/4"	3 1/4"	4"	4 1/4"	38 1/4"	1 1/4"	10 1/4"	14 1/4"	14 1/4"	20, 22, 24, 26, 28, 30

*There may be a variance of up to 1/4" in all dimensions. Fluted columns available in all diameters. See page 14 for Parallel dimensions. See page 16 for Ornamental Capital dimensions. Standard Fluted Column (Fluted in mold)



Poly Tuscan Base Plain Column

COLUMN-LOC™

Column-Loc™ creates a continuous connection from floor to beam/header without the expense of splitting and reattaching the column. This labor saving product is easy to install and delivers wind uplift resistance especially important in coastal and high wind areas. Currently available for 8 and 10" round (tapered and no-taper) and square PermaCast® columns. Kits are available with and without threaded rod.




ROUND PERMACAST® INSIDE DIMENSIONS

Inside dimension may vary up to 1/8". Splitting a column will decrease inside dimension 1/8".



COLUMN SIZE	TOP I.D.	BOT I.D.
6"	3 1/4"	4 1/4"
8"	5 1/4"	6 1/4"
10"	7 1/4"	8 1/4"
12"	8 1/4"	10 1/4"
14"	10 1/4"	12 1/4"
16"	12 1/4"	15"
18"	14 1/4"	16 1/4"
20"	16 1/4"	19"
22"	18 1/4"	20 1/4"
24"	20 1/4"	22 1/4"
28"	22"	26 1/4"
30"	25 1/4"	28 1/4"



Poly Tuscan Base Fluted Column

PLUMB-FIT®

To make installation even easier our 6-12" round and square poly Tuscan Cap and Base Sets with flashing cap now come with the Plumb-Fit® installation system included.

SPLIT COLUMN ASSEMBLY KITS (FLANGE KIT)

HB&G offers a split column assembly kit that utilizes a mechanical fastening system for easy and secure assembly. This kit can be purchased separately when ordering a factory split column or they can be ordered pre-installed on factory split columns. This kit is available on select sizes.

Decking:

AERATIS

Products ▾

Requests ▾


Where to buy

Installation ▾

Aeratis Porch Gallery

Solutions ▾

Aeratis Traditions




An Aeratis Traditions installation. Click here for the Aeratis photo gallery.

Aeratis Traditions tongue and groove porch flooring/ porch decking is a paint ready alternative to inferior wood products like pine, fir and mahogany. Competitively priced at the time of install, Aeratis Traditions T&G porch flooring offers an unsurpassed warranty, endless design capabilities, significantly lower maintenance than wood and an appearance that not even the most discerning historic official could tell it is not a wood porch when your project is complete.

Simply said, "Only a rich man can afford to install a wood porch floor today". This saying has a lot of truth. Not only is the life cycle of pine and fir significantly shorter than it was in years past, many consumers forget the actual annual cost of maintenance. On average many porch owners pay between \$4-\$9 per square foot annually on maintenance and upkeep.

Aeratis Traditions is an uncolored, paint-ready board that is designed specifically to replace wood tongue and groove products. Traditions can be painted or stained in any color. Unlike the Classic or Heritage line which can also be painted, Traditions flooring requires paint or stain to maintain the warranty.

Aeratis Traditions T&G Porch Flooring Dimensions



Lengths: 10', 12', or 16'
Width: 3-1/8" (3.092)
Thickness: 7/8"




Aeratis Traditions 5-A Paint Adhesion

When painted, Aeratis Traditions maintains a 5-A paint adhesion, the strongest paint adhesion in the industry (no priming needed). This means that you can enjoy the same low maintenance porch that matches the look and feel of your authentic wood porch that is right for you with a 20-year warranty. Most Traditions porches will hold paint

Once Aeratis is painted, it is hard to tell it is not an authentic wood porch. We engineered Traditions to be used on new and historic homes without being able to tell it is not a real wood porch. Review the two porch floors below. See if you can tell which porch has a wood floor and which porch has a Traditions porch floor. Take into consideration, both porch floors are on historic homes and both were 3 years old at the time of the photo.

Compare the two porches side by side and decide how you would like your painted porch to look after 3 years. The best benefit of Aeratis Traditions is, it is competitively priced to wood at the time of install. On top of a competitive price, you get the paint for FREE (see paint rebate under resources on the right-hand side of this page) and a 20-year warranty.



A 3 year comparison of wood (top) and Aeratis Traditions (bottom).

108 South Main Street Ocean Grove, NJ 07756
P: 732. 774.6900 F: 732.774.7250

Windows:



400 SERIES



TILT-WASH DOUBLE-HUNG WINDOWS

Andersen® 400 Series tilt-wash double-hung windows are engineered to provide outstanding performance and style. Combined with the tilt-to-clean sash, it's easy to see why it's our best selling double-hung. Exteriors use three different levels of protection from the elements. On the inside you have the choice of natural pine or low-maintenance white, dark bronze or black* finish. For added style there is a wide range of grille patterns and hardware options.

DURABLE

- Virtually maintenance-free
- Perma-Shield® exteriors never need painting and won't peel, blister, flake or corrode**
- Frame exterior is protected by a tough vinyl cover that resists dents and repels water and provides long-lasting protection
- Available with Stormwatch® protection for coastal areas

ENERGY EFFICIENT

- Weather-resistant construction for greater comfort and energy efficiency
- Weatherstripping is designed to seal out drafts, wind and water
- Variety of Low-E4® glass options are available to help control heating and cooling costs in any climate
- Many 400 Series tilt-wash double-hung windows have options that make them ENERGY STAR® v. 6.0 certified throughout the U.S.



BEAUTIFUL

- Seven exterior color options
- Natural pine, white, dark bronze or black* interiors
- Add style with grilles, exterior trim or patterned glass

EXTERIOR COLORS



White Canvas Sandstone Terracotta Forest Green Dark Bronze Black

*Dark Bronze and Black interiors are only available with Dark Bronze and Black exteriors respectively. See your Andersen dealer for availability. **Visit andersenwindows.com/warranty for details. "ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency.

108 South Main Street Ocean Grove, NJ 07756
P: 732.774.6900 F: 732.774.7250



AWNING WINDOWS

Built on the same platform as our legendary casement window, 400 Series awning windows deliver the same performance and beauty. Their solid wood frames and sash provide strength, while the vinyl covering and weather-tight construction keep the window and your home protected from the elements. On the inside you have the choice of natural pine or a low-maintenance white, dark bronze or black* finish. For added style there is a wide range of grille, hardware and art glass options.

DURABLE

- Virtually maintenance-free
- Perma-Shield® exteriors never need painting and won't peel, blister, flake or corrode**
- Frame exterior is protected by a tough vinyl cover that resists dents and repels water and provides long-lasting protection
- Available with Stormwatch® protection for coastal areas

ENERGY EFFICIENT

- Weather-resistant construction for greater comfort and energy efficiency
- Weatherstripping is designed to seal out drafts, wind and water
- Variety of Low-E4® glass options are available to help control heating and cooling costs in any climate
- Many 400 Series awning windows have options that makes them ENERGY STAR® v. 6.0 certified throughout the U.S.



BEAUTIFUL

- Seven exterior color options
- Natural pine, white, dark bronze or black* interiors
- Extensive hardware selection
- Add style with grilles, exterior trim, art glass or patterned glass

EXTERIOR COLORS



*Dark Bronze and Black Interiors are only available with Dark Bronze and Black exteriors respectively. See your Andersen dealer for availability. **Visit andersenwindows.com/warranty for details. *ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.

Newel Posts:

VERSAWRAP



YOU'LL GET WRAPPED UP IN US. | VERSAWRAP 18

YOU'LL GET WRAPPED UP IN US.

When contractors and remodelers asked us to make covering wood posts easier, we delivered. VERSAWRAP saves time without sacrificing esthetic options.



CLASSIC RAISED PANEL

VERSAWRAP

EXPERIENCE THE VERSAWRAP

At VERSATEX, we pride ourselves on coming up with innovative ways to make the builders' lives easier during installation. When we were asked to make covering wood posts more efficient with still improving aesthetics, we delivered the VERSAWRAP.

The unique design of VERSAWRAP features a product cut with pre-mitered grooves and friction fit joints. The joints are inter-locking with a unique design to allow for easy alignment and additional surface area for bonding.

SAVE TIME & MONEY

Now, instead of cutting four individual joints or miters in the field, you can wrap smarter

with VERSAWRAP column wraps. No more field cutting and struggling to match seams. The VERSAWRAP line includes Classic and Raised Panel designs as a one-piece wrap with accessory options, and a four-piece Tapered design that includes Craftsman-style accessories.

GO BEYOND...

Our Classic and Raised Panel styles are created from a single piece of VERSATEX cellular PVC with three pre-mitered grooves that fold around the structural post and lock together with a friction-fit miter lock joint. Just apply your PVC glue, fold the VERSAWRAP around your structural column, secure in place, peel the tape, and walk away.

CLASSIC

Nominal Sizes	Actual Inside Dimension	Actual Outside Dimension
4" X 4" X 8'6"	3 3/4" X 3 3/4" X 8'6"	4 3/4" X 4 3/4" X 8'6"
4" X 4" X 10'	3 3/4" X 3 3/4" X 10'	4 3/4" X 4 3/4" X 10'
6" X 6" X 8'6"	5 3/4" X 5 3/4" X 8'6"	6 3/4" X 6 3/4" X 8'6"
6" X 6" X 10'	5 3/4" X 5 3/4" X 10'	6 3/4" X 6 3/4" X 10'
8" X 8" X 8'6"	8 1/2" X 8 1/2" X 8'6"	9 1/2" X 9 1/2" X 8'6"
8" X 8" X 10'	8 1/2" X 8 1/2" X 10'	9 1/2" X 9 1/2" X 10'
12" X 12" X 12'	9 3/4" X 9 3/4" X 12'	11 1/4" X 11 1/4" X 12'

- Special 10' Classic wraps available (minimum quantities apply)
- All 4", 6", and 8" VERSAWRAPs are made from actual 1/2" thick VERSATEX; 12" wraps are made from actual 3/4" thick material.

RAISED PANEL

Nominal Sizes	Actual Inside Dimension	Actual Outside Dimension
6" X 6" X 8'6"	5 3/4" X 5 3/4" X 8'6"	6 3/4" X 6 3/4" X 8'6"
6" X 6" X 10'	5 3/4" X 5 3/4" X 10'	6 3/4" X 6 3/4" X 10'
8" X 8" X 8'6"	8 1/2" X 8 1/2" X 8'6"	9 1/2" X 9 1/2" X 8'6"
8" X 8" X 10'	8 1/2" X 8 1/2" X 10'	9 1/2" X 9 1/2" X 10'

- Panels start 16 1/2" from bottom with railing gap from 30 3/4" to 38 1/2". Clearance above the top panel measures 8 3/4".
- For best aesthetic results, painting is recommended to prevent dirt accumulation where panel is milled into product.

versatex.com | 724.857.1111

CPVC Trim:


THE VALUE OF AZEK® PREMIUM TRIM

AZEK Trim provides long-term value through trusted durability and beautiful flexibility. Unlike wood, AZEK Trim doesn't need paint or stain for protection. Our trim comes in a beautiful semimatte white and has exceptional resistance to moisture, no matter the climate. Leave constant maintenance behind. Creatively curve and easily shape AZEK Trim through heat molding. Get truly premium value backed by our industry-best [Lifetime Limited Warranty](#).

AZEK TRIM FINISHES AND OPTIONS

AZEK offers a wide variety of trim board sizes and options to provide installers, builders and architects the perfect solution for any project or jobsite. All our trim options are made from rot-resistant engineered polymer and are backed by a lifetime limited warranty.

- Moisture-resistant**
 AZEK boards are 100% protected, inside and out, from both water exposure and absorption.
- Unprecedented durability**
 Flexible and durable cellular PVC prevents jobsite breakage and delivers long-lasting protection for homeowners.
- Rot-resistant**
 Say goodbye to splitting, splintering, and rotting caused by consistent exposure to the elements.



Trim Boards

- ▶ AZEK CLASSIC TRIM
- ▶ AZEK TRIM WITH PAINTPRO® TECHNOLOGY
- ▶ AZEK RABBETED TRIM
- ▶ FLANGE SLOTTED WINDOW TRIM

108 South Main Street Ocean Grove, NJ 07756
 P: 732.774.6900 F: 732.774.7250

Dartmouth

Elegant Profile with Modern Characteristics

Our new RS35 Dartmouth Extruded Rail System offers outstanding strength in a range of beautiful, standard designs – available for level and stair rail.



- > Improved Matte Finish Matches Our Liberty & Hampton Rails
- > 100% Extruded Cellular PVC with Aluminum Core
- > New RS35350 Beverage Friendly Flat Cap
- > 3 5/8" and 4" Rail Widths
- > Commercially Code Approved for 12' Span – 12' Spans contain heavy-duty aluminum
- > Hidden Stainless Steel Fasteners
- > 1 1/2" Square Edge Balusters and Square Edge Posts
- > 5" Standard Newel Cover; 6", 8", 10" and 12" Optional
- > Multiple Newel Caps Available
- > Painting is not necessary, but can be painted – No dark colors – LRV 55 or greater
- > In House Custom Radius Capability