


1. DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. IF DIMENSIONS ARE IN QUESTION OBTAIN CLARIFICATION FROM ARCHITECT.
2. ALL DIMENSIONS ARE GIVEN TO FACE OF MASONRY WALLS, FACE OF EXISTING WALLS, FACE OF STUD WALLS AND CENTERLINE OF STRUCTURAL COLUMNS. ALL DIMENSIONS MARKED "CLEAR" SHALL BE MAINTAINED.
3. ALL CONSTRUCTION TO MEET REQUIREMENTS OF THE APPLICABLE BUILDING CODES.
4. ALL WORK NOTED "BY OTHERS", "NIC", OR "SUPPLIED BY OWNER" SHALL BE PROVIDED BY OWNER OR OTHERS' CONSULTANT UNDER A SEPARATE AGREEMENT.
5. "ALIGN" SHALL MEAN TO ACCURATELY LOCATE FINISH FACES IN THE SAME PLANE.
6. "SIMILAR" MEANS COMPARABLE CHARACTERISTICS FOR THE CONDITIONS NOTED. VERIFY FIELD VERIFIED BY THE CONTRACTOR ON PLANS AND ELEVATIONS.
7. ALL DIMENSIONS, ELEVATIONS AND CONDITIONS INDICATED IN THE DOCUMENTS VERIFY FIELD VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION OF ANY MATERIAL OR BEGINNING CONSTRUCTION IN ANY AREA. ANY DISCREPANCIES IN ACTUAL DIMENSIONS OR CONDITIONS ARE TO BE BROUGHT TO THE ARCHITECT'S ATTENTION IMMEDIATELY. THE CONTRACTOR, WITH THE WORK, WHERE THE WORK "VERIFY" OCCURS NEXT TO A DIMENSION, THE GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFYING DIMENSIONS (WITH MANUFACTURERS, ETC.) AS REQUIRED FOR PROPER FIT
8. PROVIDE FIRESTOPPING AND DRAFTSTOPPING PER APPLICABLE REFERENCED BUILDING CODES(ET) AT ANY AND ALL WALLS, PARTITIONS, BULKHEADS, FURRING, CEILING, AND FLOOR/CEILING JUNCTIONS, PENETRATIONS, AND AT PENETRATIONS OF FIRST-STANDBY RATED ENCLOSURES AND SIMILAR CONSTRUCTION.

9. CONTRACTOR TO PROVIDE FIRE TREATED WOOD BLOCKING OR OTHER SOLID ATTACHMENT MATERIAL BEHIND GYPSUM BOARD PARTITIONS FOR ATTACHMENT OF ALL FIXTURES, FITTINGS AND ACCESSORIES.
 10. EXTERIOR SIGNS ARE NOT APPROVED WITHIN THE SCOPE OF THIS BUILDING PERMIT. A SEPARATE EXTERIOR SIGN LOCATION PERMIT IS REQUIRED FOR EACH SIGN.
 11. NO SMOKING WILL BE PERMITTED IN THE BUILDING DURING CONSTRUCTION.
 12. GENERAL CONTRACTOR TO BE RESPONSIBLE FOR ALL FIRE EXTINGUISHERS AND CABINETS THAT MAY BE REQUIRED BY THE LOCAL JURISDICTION.
 13. REFER TO PLANS FOR WALL TYPES LABELS. SEE G-201 FOR WALL TYPES.
 14. GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF ALL MANUFACTURER DIMENSIONS TO ENSURE PROPER FIT.
- PARTITION NOTES:
1. ALL CORNERS EXPOSED TO CORRIDORS TO RECEIVE DIAMOND PLATED, BEVELED CORNER GUARDS
 2. ALL METAL WALL AND WALL PANELS PARTITIONS SHALL BE WHITE
 3. ALL ROLL-UP DOORS SHALL BE WHITE U.N.O.
- ADA NOTE:
1. PROVIDE (10) ADA UNITS FOR FIRST 200 UNITS PLUS 2% FOR REMAINING AMOUNT. MINIMUM OF (1) UNIT OF EACH TYPE SHALL BE ADA COMPLIANT. COORDINATE LOCATIONS SHOWN IN PLAN WITH OWNER PRIOR TO ORDERING OF WALL/DOOR SYSTEMS. SEE PLANS FOR LOCATIONS OF (P) ADA UNITS:

TOTAL UNITS: 787
TOTAL ADA UNITS: 10 + 12 (2% of 587 UNITS) = 22

[illegible]

scale: $3/32"=1'-0"$



parker
studios

1300 Mint Street, Suite 110
Charlotte, NC 28203
980-819-0416

PSI Atlantic Neptune NJ,
LLC

NEPTUNE, NJ
Project No. 19-006

TOWNSHIP SUBMISSION
March 2, 2020

[illegible]

FIRST FLOOR PLAN


A-101

Copyright 2019 Parker Studios PLLC



1300 Mint Street, Suite 110
Charlotte, NC 28203
980-819-0416

2nd. FLOOR NET	2nd. FLOOR GROSS
32,512 sq.ft. - Storage	32,751 sq.ft. - Storage
<u>2,730 sq.ft. - Open to Below</u>	<u>2,765 sq.ft. - Open to Below</u>
32,512 sq.ft. TOTAL	32,751 sq.ft. TOTAL




SECOND FLOOR PLAN

A-102

Copyright 2019 Parker Studios PLLC







3rd. FLOOR NET 35,242 sq.ft. TOTAL	3rd. FLOOR GROSS 35,516 sq.ft. TOTAL
---------------------------------------	---



A-103

Copyright 2019 Parker Studios PLLC

[illegible]

Copyright 2019 Parker Studios PLLC